

VidaBook 2022



vidas
Space®

Authentic materials

Creative minds

Beautiful colours

Daring designs

Welcome to our 2022 Collection

vidaspace®

Contents

01 VidaSpace

- 4 Our Promise
- 6 Our People
- 8 Our Showrooms
- 10 Environmental

02 Colours Themes

- 14 Mist
- 20 Wheat
- 26 Smoke
- 34 Earth
- 42 Dusk

03

The 2022 Collections

■ Wood Flooring

- 50 VidaPlank Oak
- 68 VidaPlank Douglas Fir
- 74 VidaBespoke™

- 80 Oscar Ono
- 86 Hand Grade
- 90 Henley
- 94 Venture Plank
- 100 The Italian Collection
- 108 PurePlank
- 114 Parky

■ Veneer Panels

- 120 Shinnoki Prefinished
- 138 Querkus Oak Unfinished
- 154 Nordus Larch Unfinished

■ Designer Walls

- 160 VidaGroove
(formerly Outland)

■ Accessories

- 164 VidaCare
- 170 Installation
- 174 Flooring Profiles
- 178 Metal Trims

04

Product Information

- 180 Finishes Explained
- 182 Flooring Grades
- 184 Veneers Explained
- 186 Sample Service

Look for our FSC® Certified products throughout the Veneerbook.
VidaSpace FSC CoC Certification: SGSHK-COC-510010.

Our Promise



World-Class Showrooms

Come and enjoy a Nespresso coffee while exploring our designs from around the world. Our friendly team are experts in design, installation, technical & care advice, and they will go above and beyond to give you 6-star service.



VidaCare® – Lifetime Advice & Support

Need help to keep your floor looking beautiful? We offer free lifetime advice, stock a leading brand of maintenance products, and can also connect you with long-term maintenance experts. We will ensure that your floor lasts and looks exquisite for a lifetime.



360° Wood Interiors®

Select and specify a complete range of interior wood finishes for your project in one place. We supply flooring, joinery, and wall & ceiling cladding - all sourced from premium European mills for your confidence and ease.



The Most Environmentally-Certified

We don't just pay lip service. We are leading the way in the New Zealand wood flooring and veneer market with third-party environmental accreditations including, FSC and Cradle to Cradle. We choose to partner with manufacturers that share our values - caring for forests, communities and their futures.



Leaders in Bespoke


Collaborate with our consultants to design a unique floor or interior wood finish that is truly one-of-a-kind. We are known to love a challenge and we welcome custom designs. The possibilities are endless, and the results spectacular.



Our People



Jimmy Simmons
Managing Director
jimmy.simmons@vidaspace.co.nz
021 246 4089



Brad Simmons
Operations Manager
brad.simmons@vidaspace.co.nz
021 639 705



Paul Simmons
Director
paul.simmons@vidaspace.co.nz
021 228 5774




Aaron McLean
Commercial Manager
aaron.mclean@vidaspace.co.nz
021 224 2850



Ahlia McKenzie
Interior Design Consultant
ahlia.mckenzie@vidaspace.co.nz
027 582 5357




Emily Smith-Pilling
Specification Consultant
emily.smith-pilling@vidaspace.co.nz
027 776 6626




Fran Coombe
Specification Consultant
fran.coombe@vidaspace.co.nz
021 961 862



Carolina Sánchez
Auckland Showroom Consultant
carolina.sanchez@vidaspace.co.nz
021 320 524



Jessica Androutsos
Wellington Showroom Consultant
jessica.androutsos@vidaspace.co.nz
021 368 782



Melanie Haywood
Specification Consultant South Island
melanie.haywood@vidaspace.co.nz
021 199 2161

Our Showrooms

VidaSpace Showrooms

Experience our VidaSpace expertise, service and warm hospitality whilst discovering our exquisite collections of interior finishes. VidaSpace Showrooms are the perfect place to explore your next design project or host a client meeting.

VidaSpace Auckland Showroom

0800 119 388

auckland@vidaspace.co.nz

105 St Georges Bay Road,
Parnell, Auckland

VidaSpace Wellington Showroom

0800 119 388

wellington@vidaspace.co.nz

1 College Street,
Te Aro, Wellington

Hours

Mon-Fri: 8.30am - 5.00pm

Saturday: 10:00am - 2:00pm



Auckland Showroom



Wellington Showroom

Environmental



FSC Chain of Custody (CoC)

VidaSpace has held chain-of-custody certification with auditor SGS from its inception. FSC Certification is a global third-party certification that ensures products come from responsibly managed forests that provide environmental, social, and economic benefits. A large number of VidaSpace products are FSC. Look for our FSC® Certified products through our book. VidaSpace FSC CoC Certification: SGSHK-COC-510010.



Cradle to Cradle (C2C) – Silver

C2C is a globally recognised measure of safer, more sustainable products for the circular economy. To receive certification, products are assessed for environmental and social performance across five critical sustainability categories: material health, material reuse, renewable energy and carbon management, water stewardship, and social fairness. A number of VidaSpace flooring products hold this certification – the only wood flooring in New Zealand with it.



Floorscore Accredited

The PurePlank collection holds Floorscore Certification, developed by the Resilient Flooring Covering Institute (RFCI), which is the most recognised indoor air quality (IAQ) certification standard for hard surface flooring materials, adhesives and underlays. Developed by SCS that tests for emissions of Volatile Organic Compound (VOCs).



Purewood & Havseal

Our supply partners Decospan and Havwoods also have their own stringent internal standards of responsible sourcing and manufacturing practices that do not do harm to others or the environment. Purewood by Decospan outlines 10 principles in their declaration, while Havseal by Havwoods awards points to products according to environment accreditation, the health of the material, the production process, and the materials' waste generation.







02 — Colour Themes

Mist





Columba Chevron - Pg 102



Pumice - Pg 57



Natural Oscar Ono - Pg 83



Limewashed Spruce - Pg 162




Stratus Herringbone - Pg 56



Maison - Pg 110




Milk Oak - Pg 116



Stratus 180 Plank - Pg 56



Bradbury - Pg 110



Columba Herringbone - Pg 102

Location
Auckland, New Zealand

Designer
Ignite Architects

Contractor
Flooring Junction

Photographer
Samuel Hartnett Photography

Flooring Products Used
Maison PurePlank - Pg 110

Roche Diagnostics







Location
Ohope, New Zealand

Designer
Kathrine McDonald Design

Photographer
Jay Drew Photography

Flooring Products Used
Bradbury (replacement colour) - Pg 110

Ōhope Home



Wheat





Aspen Raw - Pg 96



Belrose - Pg 111




Natural Adagio Veneer - Pg 140




Pallido Chevron - Pg 102



Amazon Herringbone - Pg 96



Amazon - Pg 96




Ivory Oak Veneer - Pg 122



Galway Hand Grade - Pg 88



Blaine - Pg 111



Sandstone - Pg 58

Location
Nelson, New Zealand

Architect
Tony Karsten, Karsten Architectural Design

Kitchen Design & Joinery
Klaus Todt, Living Design

Photographer
Lightstyle Photography

Veneer Products Used
Natural Allegro Brushed - Pg 142

Bellevue House







Location
Wellington, New Zealand

Designer
Design Builders Wellington

Photographer
Amanda Aitken Photography

Flooring Products Used
Amazon Wide Venture Plank - Pg 96

Design Builders Wellington Showhome



Smoke





Haze - Pg 61

Smoke Oscar Ono - Pg 83



Ferro Herringbone - Pg 104

Stone Triba Veneer - Pg 126

Tempest- Pg 162



Retro Baltimore Veneer - Pg 148

Manhattan Oak Veneer - Pg 125



Mineral Triba Veneer - Pg 127

Dryden - Pg 92

Fendi Wide - Pg 96

Location

Christchurch, New Zealand

Designer

Davinia Sutton, Detail by Davinia

Joiner

Lyall Park Joinery


Photographer


Stephen Goodenough Photography

Veneer Products Used

Desert Oak Shinnoki - Pg 124

Miele Showroom







Location
Raglan, New Zealand

Designer
Annika Rowson, Rowson Kitchens

Architects
Richard Priest

Photographer
Jono Parker Photography

Veneer Products Used
Manhattan Oak Shinnoki - Pg 125

Mead Residence



Location
Oakura, New Zealand

Designer
Annika Rowson, Rowson Kitchens

Photographer
Jono Parker Photography

Veneer Products Used
Manhattan Oak Shinnoki - Pg 125

Ōakura Home





Earth





Vintage Hoboken Veneer - Pg 147




Quadro Herringbone - Pg 97



Bronzo Chevron - Pg 103



Smoked Arabica Veneer - Pg 149



Jutland - Pg 92



Equinox - Pg 63



Harken - Pg 162



Valley Oak - Pg 116



Mountain Oak - Pg 117



Notte Herringbone - Pg 103

Location
Levin, New Zealand

Designer
Emma Brown Design

Joiner
Mastercraft Kitchens

Contractor
Dave's Precision Flooring

Photographer
Jamie Cobel Photography

Flooring Products Used
Jutland Wide Henley - Pg 92

Pinot Crescent Home







Location
Wellington, New Zealand

Designer
Seear-Budd Ross Architects

Joiner
Woodhaus Joinery

Photographer
Thomas Seear-Budd Photography

Veneer Products Used
Smoked Walnut Shinnoki - Pg 129

"The walnut veneer provides the exact level of warmth and character that we were striving for."

- Thomas Seear-Budd

Kilbirnie Residence



Location
Pauanui, New Zealand

Designer
Damian Hannah, German Kitchens

Flooring Products Used
Neston Hand Grade - Pg 88

Pauanui Residence





Dusk

—





Peat- Pg 63



Grande Herringbone - Pg 104



Tora - Pg 92



Consul Hand Grade - Pg 88



Obsidian 180 Plank - Pg 64



Grande Chevron - Pg 104




Black Oscar Ono - Pg 83



Obsidian Herringbone - Pg 64



Stardust Walnut Veneer - Pg 131



Duke Hand Grade - Pg 88



Location
Waimana, New Zealand

Designer
Shelley Ferguson

Joiner
Stylehouse Design

Photographer
Jackie Meiring Photography

Veneer Products Used
Stained Adagio Smooth Querkus - Pg 140

Waimana Residence



Location

Waiheke Island, New Zealand

Architect

Phillip Blackwood Architects

Kitchen Design & Joiner

Carlielle Kitchens

Photographer

Jamie Cobel Photography

Flooring Products Used

Jutland Wide Henley - Pg 92

Veneer Products Used

Stained Allegro Brushed Querkus - Pg 142





Waiheke Residence







Waiheke Island Residence - Allegro Brushed Veneer Pg 142 & Jutland Wide Henley Pg 92

 Wood Flooring	Page 50
 Veneer Panels	Page 120
 Designer Walls	Page 160
 Accessories	Page 164

03 — The Collections



VidaPlank™ Oak

Over the years, we have been designing and curating our own range and we are very pleased to introduce our very own collection of flooring – VidaPlank™.

This all-new collection offers ultimate freedom in design with over 500 possible combinations of colours, grades, patterns and sizes, and a beautiful V-Groove matching plank in long lengths for walls and ceilings. Accompanied by matching touch-up stains and solid stair nosings.

VidaPlank™ is FSC® Certified, and NZ Slip Rating-tested. VidaPlank™ sets a whole new standard in the industry for design freedom, premium European quality, third party certification and ease of specification.



Product photography should only be used as a guide to colour and grading. Due to the size of the image combined with the printing process and screen resolutions these should not be taken as a true representation of your floor. Variations to images will occur in both colour and grading.

Full Panels can be viewed in our Auckland & Wellington Showrooms

PlankBuilder™

Try out our PlankBuilder™ online configurator to design your floor, wall or ceiling – achieving your perfect colour-style-size-grade combination. Choose from our stocked styles or create your own unique custom specification.

1. Select your Colour
2. Select your Style
3. Select your Size
4. Select your Grade

Instant Online Access to:



Technical Data Sheet
For Your Design



Specification
Text For Your Design




High Resolution
Sample Panel Image



NZ Slip Test Results



FSC® Certification




RRP & Lead Times

Stocked Options In Each Colour



180 x 16mm Plank



120 x 580mm Herringbone



Matching Solid Nosing & Stains

Step 1: Select Your Colour



Stratus



Pumice



Sandstone




Mudbrick



Dawn



Haze



Equinox




Peat




Obsidian


Step 2 & 3: Select Your Plank Style & Size




Herringbone




Chevron



Plank



V Groove



Herringbone / 120 x 580mm

Chevron / 120 x 580mm

Herringbone XL / 220 x 1100mm

Chevron XL / 220 x 1100mm

Plank - 120 x 1200-2400mm

Plank - 180 x 1200-2400mm

Plank - 260 x 1200-2400mm

Plank - 300 x 1200-3000mm

Plank - 350 x 1200-3000mm

V Groove Wall & Ceiling - 160 x 2400mm - 3000mm

Step 4: Select Your Grade



Select Grade



Character Grade



Rustic Grade

Plank Profiles



13/4mm (4mm Bevel) V Groove Wall & Ceiling

Pictured : 160mm Wide Plank



16/4mm (1.5mm Bevel) Flooring

Pictured : 180mm Wide Plank



20/6mm (1.5mm Bevel) Flooring

Pictured : 180mm Wide Plank

VidaPlank Accessories



2400mm Solid Stair Nosing



150ml Touch-up Stains



Metal Trims - See Page 178



NEW

Stratus

Construction	Engineered
Species	European Oak
Process	Brushed & Limed
Finish	Platinum UV Oiled
Profile	Tongue & Groove
Bevel	Flooring 1.5mm long edges V Groove 4mm long edges
Grades	Select, Character & Rustic

Width x Length x Thickness/Wear Layer

Plank Flooring

120 x 1200-2400 x 16/4mm

180 x 1200-2400 x 16/4mm - Stocked in Select

180 x 1200-2400 x 20/6mm

260 x 1200-2400 x 20/6mm

300 x 1200-3000 x 20/6mm

350 x 1200-3000 x 20/6mm

Plank MXD - 180 | 260 | 300 x 20/6mm

Herringbone Flooring

Herringbone - 120 x 580 x 16/4mm - Stocked in Select

Herringbone - 120 x 580 x 20/6mm

Herringbone XL - 220 x 1100 x 16/4mm

Chevron Flooring

Chevron - 120 x 580 x 16/4mm

Chevron - 120 x 580 x 20/6mm

Chevron XL - 220 x 1100 x 16/4mm

Prefinished Solid Stair Nosing

Solid Oak Stair Nosing 16mm x 2.4m - Stocked

Solid Oak Stair Nosing 20mm x 2.4m

V Groove Wall & Ceiling

160 x 2400 - 3000 x 13/4mm

Use the PlankBuilder™ on our website
to design your floor, wall or ceiling.



NEW

Pumice

Construction	Engineered
Species	European Oak
Process	Sanded & Limed
Finish	Platinum UV Oiled
Profile	Tongue & Groove
Bevel	Flooring 1.5mm long edges V Groove 4mm long edges
Grades	Select, Character & Rustic

Width x Length x Thickness/Wear Layer

Plank Flooring

120 x 1200-2400 x 16/4mm

180 x 1200-2400 x 16/4mm - Stocked in Select

180 x 1200-2400 x 20/6mm

260 x 1200-2400 x 20/6mm

300 x 1200-3000 x 20/6mm

350 x 1200-3000 x 20/6mm

Plank MXD - 180 | 260 | 300 x 20/6mm

Herringbone Flooring

Herringbone - 120 x 580 x 16/4mm - Stocked in Select

Herringbone - 120 x 580 x 20/6mm

Herringbone XL - 220 x 1100 x 16/4mm

Chevron Flooring

Chevron - 120 x 580 x 16/4mm

Chevron - 120 x 580 x 20/6mm

Chevron XL - 220 x 1100 x 16/4mm

Prefinished Solid Stair Nosing

Solid Oak Stair Nosing 16mm x 2.4m - Stocked

Solid Oak Stair Nosing 20mm x 2.4m

V Groove Wall & Ceiling

160 x 2400 - 3000 x 13/4mm

Use the PlankBuilder™ on our website
to design your floor, wall or ceiling.



NEW

Sandstone

Construction	Engineered
Species	European Oak
Process	Sanded
Finish	Platinum UV Oiled
Profile	Tongue & Groove
Bevel	Flooring 1.5mm long edges V Groove 4mm long edges
Grades	Select, Character & Rustic

Width x Length x Thickness/Wear Layer

Plank Flooring

120 x 1200-2400 x 16/4mm

180 x 1200-2400 x 16/4mm - Stocked in Character

180 x 1200-2400 x 20/6mm

260 x 1200-2400 x 20/6mm

300 x 1200-3000 x 20/6mm

350 x 1200-3000 x 20/6mm

Plank MXD - 180 | 260 | 300 x 20/6mm

Herringbone Flooring

Herringbone - 120 x 580 x 16/4mm - Stocked in Select

Herringbone - 120 x 580 x 20/6mm

Herringbone XL - 220 x 1100 x 16/4mm

Chevron Flooring

Chevron - 120 x 580 x 16/4mm

Chevron - 120 x 580 x 20/6mm

Chevron XL - 220 x 1100 x 16/4mm

Prefinished Solid Stair Nosing

Solid Oak Stair Nosing 16mm x 2.4m - Stocked

Solid Oak Stair Nosing 20mm x 2.4m

V Groove Wall & Ceiling

160 x 2400 - 3000 x 13/4mm

Use the PlankBuilder™ on our website
to design your floor, wall or ceiling.



NEW

Mudbrick

Construction	Engineered
Species	European Oak
Process	Brushed
Finish	Platinum UV Oiled
Profile	Tongue & Groove
Bevel	Flooring 1.5mm long edges V Groove 4mm long edges
Grades	Select, Character & Rustic

Width x Length x Thickness/Wear Layer

Plank Flooring

120 x 1200–2400 x 16/4mm

180 x 1200–2400 x 16/4mm - Stocked in Character

180 x 1200–2400 x 20/6mm

260 x 1200–2400 x 20/6mm

300 x 1200–3000 x 20/6mm

350 x 1200–3000 x 20/6mm

Plank MXD - 180 | 260 | 300 x 20/6mm

Herringbone Flooring

Herringbone - 120 x 580 x 16/4mm - Stocked in Select

Herringbone - 120 x 580 x 20/6mm

Herringbone XL - 220 x 1100 x 16/4mm

Chevron Flooring

Chevron - 120 x 580 x 16/4mm

Chevron - 120 x 580 x 20/6mm

Chevron XL - 220 x 1100 x 16/4mm

Prefinished Solid Stair Nosing

Solid Oak Stair Nosing 16mm x 2.4m - Stocked

Solid Oak Stair Nosing 20mm x 2.4m

V Groove Wall & Ceiling

160 x 2400 - 3000 x 13/4mm

Use the PlankBuilder™ on our website
to design your floor, wall or ceiling.



NEW

Dawn

Construction	Engineered
Species	European Oak
Process	Brushed
Finish	Platinum UV Oiled
Profile	Tongue & Groove
Bevel	Flooring 1.5mm long edges V Groove 4mm long edges
Grades	Select, Character & Rustic

Width x Length x Thickness/Wear Layer

Plank Flooring

120 x 1200-2400 x 16/4mm

180 x 1200-2400 x 16/4mm - Stocked in Character

180 x 1200-2400 x 20/6mm

260 x 1200-2400 x 20/6mm

300 x 1200-3000 x 20/6mm

350 x 1200-3000 x 20/6mm

Plank MXD - 180 | 260 | 300 x 20/6mm

Herringbone Flooring

Herringbone - 120 x 580 x 16/4mm - Stocked in Select

Herringbone - 120 x 580 x 20/6mm

Herringbone XL - 220 x 1100 x 16/4mm

Chevron Flooring

Chevron - 120 x 580 x 16/4mm

Chevron - 120 x 580 x 20/6mm

Chevron XL - 220 x 1100 x 16/4mm

Prefinished Solid Stair Nosing

Solid Oak Stair Nosing 16mm x 2.4m - Stocked

Solid Oak Stair Nosing 20mm x 2.4m

V Groove Wall & Ceiling

160 x 2400 - 3000 x 13/4mm

Use the PlankBuilder™ on our website
to design your floor, wall or ceiling.

NEW

Haze

Construction	Engineered
Species	European Oak
Process	Brushed & Smoked
Finish	Platinum UV Oiled
Profile	Tongue & Groove
Bevel	Flooring 1.5mm long edges V Groove 4mm long edges
Grades	Select, Character & Rustic

Width x Length x Thickness/Wear Layer

Plank Flooring

120 x 1200-2400 x 16/4mm

180 x 1200-2400 x 16/4mm - Stocked in Character

180 x 1200-2400 x 20/6mm

260 x 1200-2400 x 20/6mm

300 x 1200-3000 x 20/6mm

350 x 1200-3000 x 20/6mm

Plank MXD - 180 | 260 | 300 x 20/6mm

Herringbone Flooring

Herringbone - 120 x 580 x 16/4mm - Stocked in Select

Herringbone - 120 x 580 x 20/6mm

Herringbone XL - 220 x 1100 x 16/4mm

Chevron Flooring

Chevron - 120 x 580 x 16/4mm

Chevron - 120 x 580 x 20/6mm

Chevron XL - 220 x 1100 x 16/4mm

Prefinished Solid Stair Nosing

Solid Oak Stair Nosing 16mm x 2.4m - Stocked

Solid Oak Stair Nosing 20mm x 2.4m

V Groove Wall & Ceiling

160 x 2400 - 3000 x 13/4mm

Use the PlankBuilder™ on our website
to design your floor, wall or ceiling.



NEW

Equinox

Construction	Engineered
Species	European Oak
Process	Sanded
Finish	Platinum UV Oiled
Profile	Tongue & Groove
Bevel	Flooring 1.5mm long edges V Groove 4mm long edges
Grades	Select, Character & Rustic

Width x Length x Thickness/Wear Layer

Plank Flooring

120 x 1200-2400 x 16/4mm

180 x 1200-2400 x 16/4mm - Stocked in Character

180 x 1200-2400 x 20/6mm

260 x 1200-2400 x 20/6mm

300 x 1200-3000 x 20/6mm

350 x 1200-3000 x 20/6mm

Plank MXD - 180 | 260 | 300 x 20/6mm

Herringbone Flooring

Herringbone - 120 x 580 x 16/4mm - Stocked in Select

Herringbone - 120 x 580 x 20/6mm

Herringbone XL - 220 x 1100 x 16/4mm

Chevron Flooring

Chevron - 120 x 580 x 16/4mm

Chevron - 120 x 580 x 20/6mm

Chevron XL - 220 x 1100 x 16/4mm

Prefinished Solid Stair Nosing

Solid Oak Stair Nosing 16mm x 2.4m - Stocked

Solid Oak Stair Nosing 20mm x 2.4m

V Groove Wall & Ceiling

160 x 2400 - 3000 x 13/4mm

Use the PlankBuilder™ on our website
to design your floor, wall or ceiling.



NEW

Peat

Construction	Engineered
Species	European Oak
Process	Brushed
Finish	Platinum UV Oiled
Profile	Tongue & Groove
Bevel	Flooring 1.5mm long edges V Groove 4mm long edges
Grades	Select, Character & Rustic

Width x Length x Thickness/Wear Layer

Plank Flooring

120 x 1200-2400 x 16/4mm

180 x 1200-2400 x 16/4mm - Stocked in Character

180 x 1200-2400 x 20/6mm

260 x 1200-2400 x 20/6mm

300 x 1200-3000 x 20/6mm

350 x 1200-3000 x 20/6mm

Plank MXD - 180 | 260 | 300 x 20/6mm

Herringbone Flooring

Herringbone - 120 x 580 x 16/4mm - Stocked in Select

Herringbone - 120 x 580 x 20/6mm

Herringbone XL - 220 x 1100 x 16/4mm

Chevron Flooring

Chevron - 120 x 580 x 16/4mm

Chevron - 120 x 580 x 20/6mm

Chevron XL - 220 x 1100 x 16/4mm

Prefinished Solid Stair Nosing

Solid Oak Stair Nosing 16mm x 2.4m - Stocked

Solid Oak Stair Nosing 20mm x 2.4m

V Groove Wall & Ceiling

160 x 2400 - 3000 x 13/4mm

Use the PlankBuilder™ on our website
to design your floor, wall or ceiling.



NEW

Obsidian

Construction	Engineered
Species	European Oak
Process	Brushed
Finish	Platinum UV Oiled
Profile	Tongue & Groove
Bevel	Flooring 1.5mm long edges V Groove 4mm long edges
Grades	Select, Character & Rustic

Width x Length x Thickness/Wear Layer

Plank Flooring

120 x 1200-2400 x 16/4mm

180 x 1200-2400 x 16/4mm - Stocked in Character

180 x 1200-2400 x 20/6mm

260 x 1200-2400 x 20/6mm

300 x 1200-3000 x 20/6mm

350 x 1200-3000 x 20/6mm

Plank MXD - 180 | 260 | 300 x 20/6mm

Herringbone Flooring

Herringbone - 120 x 580 x 16/4mm - Stocked in Select

Herringbone - 120 x 580 x 20/6mm

Herringbone XL - 220 x 1100 x 16/4mm

Chevron Flooring

Chevron - 120 x 580 x 16/4mm

Chevron - 120 x 580 x 20/6mm

Chevron XL - 220 x 1100 x 16/4mm

Prefinished Solid Stair Nosing

Solid Oak Stair Nosing 16mm x 2.4m - Stocked

Solid Oak Stair Nosing 20mm x 2.4m

V Groove Wall & Ceiling

160 x 2400 - 3000 x 13/4mm

Use the PlankBuilder™ on our website
to design your floor, wall or ceiling.

NEW

Untouched

Construction	Engineered
Species	European Oak
Process	Sanded
Finish	Unfinished
Profile	Tongue & Groove
Bevel	Flooring 1.5mm long edges V Groove 4mm long edges
Grades	Select, Character & Rustic

Width x Length x Thickness/Wear Layer

Plank Flooring

120 x 1200–2400 x 16/4mm

180 x 1200–2400 x 16/4mm

180 x 1200–2400 x 20/6mm - Stocked in Character

260 x 1200–2400 x 20/6mm

300 x 1200–3000 x 20/6mm

350 x 1200–3000 x 20/6mm

Plank MXD - 180 | 260 | 300 x 20/6mm

Herringbone Flooring

Herringbone - 120 x 580 x 16/4mm

Herringbone - 120 x 580 x 20/6mm

Herringbone XL - 220 x 1100 x 16/4mm

Chevron Flooring

Chevron - 120 x 580 x 16/4mm

Chevron - 120 x 580 x 20/6mm

Chevron XL - 220 x 1100 x 16/4mm

Solid Stair Nosing

Solid Oak Stair Nosing 16mm x 2.4m

Solid Oak Stair Nosing 20mm x 2.4m - Stocked

V Groove Wall & Ceiling

160 x 2400 - 3000 x 13/4mm

We have a Bespoke colour service to match or create any colour you want. Get in touch with our team.

Use the PlankBuilder™ on our website
to design your floor, wall or ceiling.

Please note this is an unfinished product



Stratus



Equinox



Mudbrick



White Lye & White Oil

VidaPlank™ Douglas Fir

Introducing New Zealand's first collection of engineered Douglas Fir flooring, grown in the Black Forest in Germany. These enormous planks create an exclusive collection and are made-to-order with the option to customise the widths, lengths, and finishes.

Growing up to 70 metres tall, these giant trees have commonly been used for flooring in Europe for hundreds of years, distinguishable by the magnificent, unique grain structure. The sheer scale and length of the planks also enable another unique option – 'room lengths', which means there is no end joins in the floor planks.



Product photography should only be used as a guide to colour and grading. Due to the size of the image combined with the printing process and screen resolutions these should not be taken as a true representation of your floor. Variations to images will occur in both colour and grading.

Full Panels can be viewed in our Auckland & Wellington Showrooms



Pictured: Select Grade

White Lye & White Oil

Construction	Engineered	<input type="checkbox"/>
Species	Douglas Fir	<input type="checkbox"/>
Process	Lightly Brushed	<input type="checkbox"/>
Finish	White Lye & White Oil	<input type="checkbox"/>
Profile	Tongue & Groove	<input type="checkbox"/>
Edge Profile	Bevelled	<input type="checkbox"/>
Thickness	21mm	<input type="checkbox"/>

INDENT

Customise your Specification

Grades

- Select (small tight knots)
- Rustic (large knots replaced with plugs)

XL Widths

- 250mm
- 300mm (Standard)
- 380mm

XL Lengths

- Random Lengths
- 2000 - 3000mm (Standard)
 - 2600 - 5000mm

Get in touch with one of our specification consultants to discuss your project. 0800 119 388 | info@vidaspace.co.nz



Pictured: Rustic Grade

NEW

Smoked & Natural Oil

Construction	Engineered	<input type="checkbox"/>
Species	Douglas Fir	<input type="checkbox"/>
Process	Smoked & Brushed	<input type="checkbox"/>
Finish	Hardwax Oil	<input type="checkbox"/>
Profile	Tongue & Groove	<input type="checkbox"/>
Edge Profile	Bevelled	<input type="checkbox"/>
Thickness	21mm	<input type="checkbox"/>

INDENT

Customise your Specification

Grades

- Select (small tight knots)
- Rustic (large knots replaced with plugs)

XL Widths

- 250mm
- 300mm (Standard)
- 380mm

XL Lengths

- Random Lengths
- 2000 - 3000mm (Standard)
 - 2600 - 5000mm

Get in touch with one of our specification consultants to discuss your project. 0800 119 388 | info@vidaspace.co.nz



White Lye & White Oil - Rustic Grade



White Lye & Natural Oil - Select Grade



Elle + Riley, Commercial Bay - Istra Mansion Weave

VidaBespoke

One of our exclusive offerings is our ability to custom-make any flooring completely to design. Whether it be a bespoke colour, texture, or pattern, we work closely with our established mills in Europe and can offer completely customised, one-of-a-kind flooring finishes for your project. Metal and marble insets, totally unique patterns, huge-scale planks, exclusive colours – anything is possible when you collaborate with us for your most creative projects. We will bring your vision to life.




Product photography should only be used as a guide to colour and grading. Due to the size of the image combined with the printing process and screen resolutions these should not be taken as a true representation of your floor. Variations to images will occur in both colour and grading.


Style/Pattern Ideas




Herringbone




Chevron




Basket Weave




Mixed Width Plank




Double Herringbone




Chevron & Plank




Arrow




Parallelogram




Oyster



Diamond Panel



Mansion Weave



Rhombus




Ebury Square Apartments



Metal Inlay Panel



Tower Bridge Apartments



La Grande Epicerie - VS9001 Natural Oscar Ono

OSCARONO

PARIS

Designed by Raphael Navot, the Forêt Collection is a revolutionary handmade flooring and wall covering marquetry. Inspired by 19th-century cobblestone streets in Paris, Oscar Ono has spent many years reviving the wondrous tradition and give it a new contemporary life. Discover how the Forêt Collection stands for an innovative approach to end grain wood surfaces, a highly crafted yet easy to assemble surface in an uncompromising quality, with spectacular results.




Product photography should only be used as a guide to colour and grading. Due to the size of the image combined with the printing process and screen resolutions these should not be taken as a true representation of your floor. Variations to images will occur in both colour and grading.

Full Panels can be viewed in our Auckland & Wellington Showrooms



Personalise Your Design With Six Different Pattern Combinations





Natural Forêt

VS9001

Construction	Engineered
Species	European Oak
Environmental	FSC Certified
Grade	Nature Grade
Process	End Grain *
Finish	UV Oiled
Application	Floors & Walls
Thickness	20mm

INDENT



Smoke Forêt

VS9002

Construction	Engineered
Species	European Oak
Environmental	FSC Certified
Grade	Nature Grade
Process	End Grain *
Finish	UV Oiled
Application	Floors & Walls
Thickness	20mm

INDENT



Black Forêt

VS9003

Construction	Engineered
Species	European Oak
Environmental	FSC Certified
Grade	Nature Grade
Process	End Grain *
Finish	UV Oiled
Application	Floors & Walls
Thickness	20mm

INDENT



Salone Del Mobile - VS9003 Black Oscar Ono



AD Interieurs - VS9001 Natural Oscar Ono



Domaine Des Etangs - VS9001 Natural Oscar Ono



Aire Ancient Baths - HW88105 Galway

Hand Grade

The Hand Grade Collection is made up of spectacular hand-finished engineered European Oak boards. Enormous mixed width planks up to 4 metres long and nearly half a metre wide, with characterful undulating surfaces and natural visual scarring. Hand Grade was originally designed to replicate banquet hall flooring from the medieval ages, matured over centuries of festivities and wear, and has lived on to be used in prestigious projects worldwide. The Hand Grade Collection won the Hard Floor category at the 2017 International Design & Architecture Awards in the UK.



Product photography should only be used as a guide to colour and grading. Due to the size of the image combined with the printing process and screen resolutions these should not be taken as a true representation of your floor. Variations to images will occur in both colour and grading.

* Check technical data sheets to see if it applies to each product

Neston

HW88104



Thickness 23mm +/-
Width 280-480mm
Length 2000-4000mm
Grade Rustic
Finish Hardwax Oil

INDENT

Galway

HW88105




Thickness 23mm +/-
Width 280-480mm
Length 2000-4000mm
Grade Rustic
Finish Hardwax Oil

INDENT

Duke

HW88107



Thickness 23mm +/-
Width 280-480mm
Length 2000-4000mm
Grade Rustic
Finish Hardwax Oil

INDENT

Consul

HW88108



Thickness 23mm +/-
Width 280-480mm
Length 2000-4000mm
Grade Rustic
Finish Hardwax Oil

INDENT



Pauanui Residence - HW88104 Neston



Eagle Wharf - HW88105 Galway



Waiheke Island Residence - BPF19/1611/260 Jutland

Henley

Henley is a range of textured prefinished planks with fine aged and distressed surfaces, perfect for rustic interiors and environments with characterful nature.

- Smoked Finishes
- Wide Planks
- Matching Parquet
- Hardwax Oil & UV Oil Finishes
- Suitable for Underfloor Heating
- 5 Year Commercial / 25 Year Residential Warranty



Product photography should only be used as a guide to colour and grading. Due to the size of the image combined with the printing process and screen resolutions these should not be taken as a true representation of your floor. Variations to images will occur in both colour and grading.

Jutland

BPF13/1611/180



Thickness 13mm
Width 180mm
Length Random
Grade Character
Finish UV Oiled

STOCKED

Jutland Wide

BPF19/1611/260



Thickness 19mm
Width 260mm
Length Random
Grade Character
Finish UV Oiled

INDENT

Grove

BPF21/1640/180



Thickness 19mm
Width 180mm
Length Random
Grade Character
Finish Oiled

STOCKED

Dryden

RECM3081



Thickness 15mm
Width 190mm
Length 1900mm
Grade Rustic
Finish UV Oiled

STOCKED

Hartland

BPF13/1609/180




Thickness 13mm
Width 180mm
Length Random
Grade Character
Finish UV Oiled

STOCKED

Tora

RECM3100



Thickness 15mm
Width 220mm
Length 2200mm
Grade Rustic
Finish UV Oiled

STOCKED

Natural Versailles

HW1390



Thickness 20mm
Width 800mm
Length 800mm
Grade Rustic
Finish Oiled

INDENT

Antique Versailles

HW1391



Thickness 20mm
Width 800mm
Length 800mm
Grade Rustic
Finish Oiled

INDENT



Downey Designer Homes - RECM3081 Dryden



Beachside Bliss Palm Beach Home - HW3636 Amazon Wide

Venture Plank

Venture Plank is a range of smooth and lightly brushed flooring, ideal for a refined look in sophisticated, modern interiors.

- Smoked Finishes
- Wide Planks
- Matching Parquet
- UV Oil Finishes
- Suitable for Underfloor Heating
- 5 Year Commercial / 25 Year Residential Warranty
- Made in Europe. Stocked in New Zealand



Product photography should only be used as a guide to colour and grading. Due to the size of the image combined with the printing process and screen resolutions these should not be taken as a true representation of your floor. Variations to images will occur in both colour and grading.

Amazon Wide

HW3636




Thickness 19mm
Width 260mm
Length Random
Grade Character
Finish UV Oiled

STOCKED

Amazon Herringbone

HW3008



Thickness 13mm
Width 120mm
Length 600mm
Grade Prime
Finish UV Oiled

STOCKED

Aspen Raw

HW3676



Thickness 13mm
Width 180mm
Length Random
Grade Character
Finish UV Oiled

STOCKED

Fendi

HW926



Thickness 13mm
Width 180mm
Length Random
Grade Character
Finish UV Oiled

STOCKED

Fendi Herringbone

HW3001



Thickness 13mm
Width 120mm
Length 600mm
Grade Prime
Finish UV Oiled

STOCKED

Fendi Wide

HW3656



Thickness 19mm
Width 260mm
Length Random
Grade Character
Finish UV Oiled

STOCKED

Quadro

HW3880



Thickness 13mm
 Width 180mm
 Length Random
 Grade Character
 Finish UV Oiled

STOCKED

Quadro Herringbone

HW3004




Thickness 13mm
 Width 120mm
 Length 600mm
 Grade Prime
 Finish UV Oiled

STOCKED

Amazon Versailles

HW1228




Thickness 13mm
 Width 840mm
 Length 840mm
 Grade Prime
 Finish UV Oiled

INDENT

Fendi Versailles

HW1222



Thickness 13mm
 Width 840mm
 Length 840mm
 Grade Prime
 Finish UV Oiled

INDENT

Can't find previous colours? See new VidaPlank Collection

HW3674 Blanco
 HW3005 Blanco Herringbone
 HW9085 Newington
 HW7800 Unity
 HW9083 Linley
 HW9081 Cabarita
 VS6000 Oslo

See Stratus - Pg 56
 See Stratus - Pg 56
 See Pumice - Pg 57
 See Haze - Pg 61
 See Mudbrick - Pg 59
 See Equinox - Pg 62
 See Obsidian - Pg 64



Stockwell House - HW3001 Fendi Herringbone



Cavendish House - HW3880 Quadro



Design Builders Wellington Showroom - HW3636 Amazon Wide



Mastani - HW16002 Pallido Herringbone

The Italian Collection

Based on Italian flooring trends, the Italian Collection is a range of smooth planks, herringbones and chevrons designed for intricate patterns and sleek interiors.

- Smoked Finishes
- Matching Parquet
- UV Oil & Lacquer Finishes
- Suitable for Underfloor Heating
- 10 Year Commercial / 20 Year Residential Warranty
- Made in Europe. Stocked in New Zealand



Product photography should only be used as a guide to colour and grading. Due to the size of the image combined with the printing process and screen resolutions these should not be taken as a true representation of your floor. Variations to images will occur in both colour and grading.

Columba - Herringbone

HW16009




Thickness 11mm
Width 70mm
Length 490mm
Grade Select
Finish UV Oiled

INDENT

Pallido - Herringbone

HW16002



Thickness 11mm
Width 70mm
Length 490mm
Grade Select
Finish Lacquered

STOCKED

Columba - Plank

HW16409



Thickness 10mm
Width 120mm
Length 800-1400mm
Grade Select
Finish UV Oiled

INDENT

Pallido - Plank

HW16402



Thickness 10mm
Width 120mm
Length 800-1400mm
Grade Select
Finish Lacquered

STOCKED

Columba - Chevron

HW16609




Thickness 10mm
Width 90mm
Length 610mm
Grade Select
Finish UV Oiled

INDENT

Pallido - Chevron

HW16604




Thickness 10mm
Width 90mm
Length 610mm
Grade Select
Finish Lacquered

STOCKED

Bronzo - Herringbone

HW16006




Thickness 11mm
Width 70mm
Length 490mm
Grade Select
Finish Lacquered

STOCKED

Notte - Herringbone

HW16007



Thickness 11mm
Width 70mm
Length 490mm
Grade Select
Finish Lacquered

STOCKED

Bronzo - Plank

HW16406




Thickness 10mm
Width 120mm
Length 800-1400mm
Grade Select
Finish Lacquered

STOCKED

Notte - Plank

HW16407




Thickness 10mm
Width 120mm
Length 800-1400mm
Grade Select
Finish Lacquered

STOCKED

Bronzo - Chevron

HW16606




Thickness 10mm
Width 90mm
Length 610mm
Grade Select
Finish Lacquered

STOCKED

Notte - Chevron

HW16607



Thickness 10mm
Width 90mm
Length 610mm
Grade Select
Finish Lacquered

STOCKED

Ferro - Herringbone

HW16008




Thickness 11mm
Width 70mm
Length 490mm
Grade Select
Finish UV Oiled

STOCKED

Grande - Herringbone

HW16010



Thickness 11mm
Width 70mm
Length 490mm
Grade Select
Finish UV Oiled

STOCKED

Ferro - Plank

HW16408



Thickness 10mm
Width 120mm
Length 800-1400mm
Grade Select
Finish UV Oiled

STOCKED

Grande - Plank

HW16410




Thickness 10mm
Width 120mm
Length 800-1400mm
Grade Select
Finish UV Oiled

STOCKED

Ferro - Chevron

HW16608




Thickness 10mm
Width 90mm
Length 610mm
Grade Select
Finish UV Oiled

STOCKED

Grande - Chevron

HW16610



Thickness 10mm
Width 90mm
Length 610mm
Grade Select
Finish UV Oiled

STOCKED



Grantley Hall - HW16610 Grande Chevron



EBB Dunedin Hotel - HW16406 Bronzo Plank



Storrs Hall - HW16008 Ferro Herringbone



The Colyer - HW16602 Notte Chevron



CP Group Head Office - Similar to HW14106 Riverstone

PurePlank

Sourced from one of Europe's largest and most established mills, PurePlank is well known for its durability and commercial-grade performance.

- Set Plank Lengths
- Matte Lacquer Finish
- 5G Uniclic System and T&G
- Suitable for Underfloor Heating
- 5 Year Commercial / 20 Year Residential Warranty
- Made in Europe. Stocked in New Zealand



Product photography should only be used as a guide to colour and grading. Due to the size of the image combined with the printing process and screen resolutions these should not be taken as a true representation of your floor. Variations to images will occur in both colour and grading.

Bradbury (Alsace Replacement)

HW14110



Thickness 14mm
 Width 180mm
 Length 2200mm
 Grade Classic
 Finish Matte Lacquer

STOCKED

Allevard

HW2130



Thickness 14mm
 Width 180mm
 Length 2200mm
 Grade Classic
 Finish Matte Lacquer

STOCKED

Maison

HW2503



Thickness 14mm
 Width 180mm
 Length 2200mm
 Grade Classic
 Finish Matte Lacquer

STOCKED

Champagne

HW2502



Thickness 14mm
 Width 180mm
 Length 2200mm
 Grade Classic
 Finish Matte Lacquer

STOCKED

Galston Wide

HW14204




Thickness 14mm
 Width 207mm
 Length 2200mm
 Grade Character
 Finish Matte Lacquer

STOCKED

Dunbar (Clermont Replacement)

HW14116




Thickness 14mm
 Width 180mm
 Length 2200mm
 Grade Character
 Finish Matte Lacquer

STOCKED

Belrose (Calvaire Replacement)

HW14100



Thickness 14mm
Width 180mm
Length 2200mm
Grade Classic
Finish Matte Lacquer

STOCKED

Blaine

HW2158




Thickness 14mm
Width 180mm
Length 2200mm
Grade Classic
Finish Matte Lacquer

STOCKED

Stanwell (Vierzon Replacement)

HW14108




Thickness 14mm
Width 180mm
Length 2200mm
Grade Classic
Finish Matte Lacquer

STOCKED

Somersby

HW14118




Thickness 14mm
Width 180mm
Length 2200mm
Grade Character
Finish Matte Lacquer

STOCKED

Riverstone (Matisse Replacement)

HW14106



Thickness 14mm
Width 180mm
Length 2200mm
Grade Classic
Finish Matte Lacquer

STOCKED

Lavardon

HW2102



Thickness 14mm
Width 180mm
Length 2200mm
Grade Rustic
Finish Matte Lacquer

STOCKED



Island Bay Home, Alex & Corban - HW2130 Allevard



Roche Diagnostics - HW2503 Maison



Clockwise Cheltham - Similar to HW14100 Belrose



Landrover/Jaguar Office - Ivory Oak

Parky

Parky is our most durable and impact resistant flooring. With fantastic value for money and resilience against high-level wear and tear, it competes with alternatives such as laminate and vinyl.

- Set Plank Lengths
- New Generation Titanium Laquer Finish
- Uniclic/Unifit X System
- Waterproof Surface + Aqua Sealed Joins
- Suitable for Underfloor Heating
- 10 Year Commercial / Lifetime Residential Warranty
- Made in Europe. Stocked in New Zealand



Product photography should only be used as a guide to colour and grading. Due to the size of the image combined with the printing process and screen resolutions these should not be taken as a true representation of your floor. Variations to images will occur in both colour and grading.

Milk Oak

VS2701



Thickness 7.2mm
Width 190mm
Length 1203mm
Grade Prime
Finish UV-Cured Lacquer

STOCKED

Ivory Oak

VS2702



Thickness 7.2mm
Width 190mm
Length 1203mm
Grade Prime
Finish UV-Cured Lacquer

STOCKED

Essence Oak Wide

VS2703



Thickness 10mm
Width 233mm
Length 2050mm
Grade Prime
Finish UV-Cured Lacquer

STOCKED

Natural Oak

VS2704



Thickness 7.2mm
Width 190mm
Length 1203mm
Grade Prime
Finish UV-Cured Lacquer

STOCKED

Dune Oak Wide

VS2706



Thickness 10mm
Width 233mm
Length 2050mm
Grade Prime
Finish UV-Cured Lacquer

STOCKED MID 2022

Valley Oak Wide

VS2707



Thickness 10mm
Width 233mm
Length 2050mm
Grade Character
Finish UV-Cured Lacquer

STOCKED MID 2022

Desert Oak VS2705




Thickness	7.2mm	STOCKED
Width	190mm	
Length	1203mm	
Grade	Prime	
Finish	UV-Cured Lacquer	

Frozen Walnut Wide VS2711




Thickness	10mm	STOCKED MID 2022
Width	233mm	
Length	2050mm	
Grade	Prime	
Finish	UV-Cured Lacquer	

Smoked Walnut VS2709



Thickness	7.2mm	STOCKED MID 2022
Width	190mm	
Length	1203mm	
Grade	Prime	
Finish	UV-Cured Lacquer	

Mountain Oak VS2713



Thickness	7.2mm	STOCKED MID 2022
Width	190mm	
Length	1203mm	
Grade	Prime	
Finish	UV-Cured Lacquer	

3-In-1 Wooden Profile



Profile	T-Profile, Reducer Profile, End Profile	STOCKED
Thickness	11mm	
Width	47mm	
Length	2150mm	

Available in each parky flooring colour

Parky Prefinished Nosing



Thickness	7.2 or 10mm	MADE TO ORDER
Length	1200mm	

Available in each parky flooring colour



Sangro Chambers - VS2701 Milk Oak



The Collectionist - VS2704 European Oak



VS2707 Valley Oak



Mead Residence - VS7006-MR Manhattan Oak

Shinnoki Prefinished

Shinnoki is a collection of prefinished wood veneer panels, perfect for designers and cabinet makers to easily design and create stylish and distinctive interiors. Shinnoki products are ready and simple to use with huge time and cost savings, and thanks to the mixmatching technique and industrial processing Shinnoki guarantees consistent colours and quality.

- Moisture Resistant MDF Core
- Mixmatch/Planked Layout
- Large Panels - 2790 x 1240mm
- Commercial Grade UV Lacquer Finish
- Matching Edge Banding in Timber & ABS
- Made in Europe. Stocked in New Zealand



Product photography should only be used as a guide to colour and grading. Due to the size of the image combined with the printing process and screen resolutions these should not be taken as a true representation of your floor. Variations to images will occur in both colour and grading.



Ivory Oak Veneer

Construction	Veneer Panel, MDF MR Core
Environmental	FSC Mix Certified
Pattern	Mismatched/Planked
Faces	Single Sided
Front Face	A Grade Prime European Oak
Back Face	Recon veneer in similar tone
Process	Lightly Brushed
Finish	Prefinished, UV Cured Lacquer

Ivory Oak MR

VS7002-MR

Thickness	19mm
Width	1240mm
Length	2790mm

STOCKED

Shinnoki flex sheets available to order - 3050 x 1220 x 1mm

Ivory Oak Non-glued Edge Banding



Ivory Oak 0.6mm x 24mm x 100m VS7102

Ivory Oak 0.6mm x 48mm x 100m VS7103

Ivory Oak 1mm x 24mm x 50m ABS VS7102-ABS

Edge Banding pregluing service available.

Ivory Oak Touch-up Pen



Ivory Oak Repair Pen VS7141

Clear Lacquer Repair Pen VS7150



Natural Oak Veneer

Construction	Veneer Panel, MDF MR Core
Environmental	FSC Mix Certified
Pattern	Mismatched/Planked
Faces	Single Sided
Front Face	A Grade Prime European Oak
Back Face	Recon veneer in similar tone
Process	Lightly Brushed
Finish	Prefinished, UV Cured Lacquer

Natural Oak MR

VS7001-MR

Thickness	19mm
Width	1240mm
Length	2790mm

STOCKED

Shinnoki flex sheets available to order - 3050 x 1220 x 1mm

Natural Oak Non-glued Edge Banding



Natural Oak 0.6mm x 24mm x 100m VS7100

Natural Oak 0.6mm x 48mm x 100m VS7101

Natural Oak 1mm x 24mm x 50m ABS VS7100-ABS

Edge Banding pregluing service available.

Natural Oak Touch-up Pen



Natural Oak Repair Pen VS7140

Clear Lacquer Repair Pen VS7150



Desert Oak Veneer

Construction	Veneer Panel, MDF MR Core
Environmental	FSC Mix Certified
Pattern	Mixmatched/Planked
Faces	Single Sided
Front Face	A Grade Prime European Oak
Back Face	Recon veneer in similar tone
Process	Lightly Brushed
Finish	Prefinished, UV Cured Lacquer

Desert Oak MR **VS7005-MR**

Thickness	19mm	STOCKED
Width	1240mm	
Length	2790mm	

Shinnoki flex sheets available to order - 3050 x 1220 x 1mm

Desert Oak Non-glued Edge Banding



Desert Oak 0.6mm x 24mm x 100m **VS7108**

Desert Oak 0.6mm x 48mm x 100m **VS7109**

Desert Oak 1mm x 24mm x 50m ABS **VS7108-ABS**

Edge Banding pregluing service available.

Desert Oak Touch-up Pen



Desert Oak Repair Pen **VS7143**

Clear Lacquer Repair Pen **VS7150**



Manhattan Oak Veneer

Construction	Veneer Panel, MDF MR Core
Environmental	FSC Mix Certified
Pattern	Mixmatched/Planked
Faces	Single Sided
Front Face	A Grade Prime European Oak
Back Face	Recon veneer in similar tone
Process	Lightly Brushed
Finish	Prefinished, UV Cured Lacquer

Manhattan Oak MR **VS7006-MR**

Thickness	19mm	STOCKED
Width	1240mm	
Length	2790mm	

Shinnoki flex sheets available to order - 3050 x 1220 x 1mm

Manhattan Oak Non-glued Edge Banding



Manhattan Oak 0.6mm x 24mm x 100m VS7110

Manhattan Oak 0.6mm x 48mm x 100m VS7111

Manhattan Oak 1mm x 24mm x 50m ABS VS7110-ABS

Edge Banding pregluing service available.

Manhattan Oak Touch-up Pen



Manhattan Oak Repair Pen VS7144

Clear Lacquer Repair Pen VS7150



NEW

Stone Triba Veneer

Construction	Veneer Panel, MDF MR Core
Environmental	FSC Mix Certified
Pattern	Mixmatched/Planked
Faces	Single Sided
Front Face	A Grade Prime Triba
Back Face	Recon veneer in similar tone
Process	Lightly Brushed
Finish	Prefinished, UV Cured Lacquer

Stone Triba MR

VS7009-MR

Thickness	19mm
Width	1240mm
Length	2790mm

STOCKED

Shinnoki flex sheets available to order - 3050 x 1220 x 1mm

Stone Triba Non-glued Edge Banding



Stone Triba 0.6mm x 24mm x 100m

VS7116

Stone Triba 0.6mm x 48mm x 100m

VS7117

Stone Triba 1mm x 24mm x 50m ABS

VS7116-ABS

Edge Banding pregluing service available.

Stone Triba Touch-up Pen



Stone Triba Repair Pen

VS7153

Clear Lacquer Repair Pen

VS7150



Mineral Triba Veneer

Construction	Veneer Panel, MDF MR Core
Environmental	FSC Mix Certified
Pattern	Mixmatched/Planked
Faces	Single Sided
Front Face	A Grade Prime Triba
Back Face	Recon veneer in similar tone
Process	Lightly Brushed
Finish	Prefinished, UV Cured Lacquer

Mineral Triba MR **VS7010-MR**

Thickness	19mm	STOCKED
Width	1240mm	
Length	2790mm	

Shinnoki flex sheets available to order - 3050 x 1220 x 1mm

Mineral Triba Non-glued Edge Banding



Mineral Triba 0.6mm x 24mm x 100m VS7118

Mineral Triba 0.6mm x 48mm x 100m VS7119

Mineral Triba 1mm x 24mm x 50m ABS VS7118-ABS

Edge Banding pregluing service available.

Mineral Triba Touch-up Pen



Mineral Triba Repair Pen VS7151

Clear Lacquer Repair Pen VS7150



Frozen Walnut Veneer

Construction	Veneer Panel, MDF MR Core
Environmental	FSC Mix Certified
Pattern	Mixmatched/Planked
Faces	Single Sided
Front Face	A Grade Prime American Walnut
Back Face	Recon veneer in similar tone
Process	Lightly Brushed
Finish	Prefinished, UV Cured Lacquer

Frozen Walnut MR

VS7011-MR

Thickness	19mm
Width	1240mm
Length	2790mm

STOCKED

Shinnoki flex sheets available to order - 3050 x 1220 x 1mm

Frozen Walnut Non-glued Edge Banding



Frozen Walnut 0.6mm x 24mm x 100m VS7120

Frozen Walnut 0.6mm x 48mm x 100m VS7121

Frozen Walnut 1mm x 24mm x 50m ABS VS7120-ABS

Edge Banding pregluing service available.

Frozen Walnut Touch-up Pen



Frozen Walnut Repair Pen VS7145

Clear Lacquer Repair Pen VS7150



Smoked Walnut Veneer

Construction	Veneer Panel, MDF MR Core
Environmental	FSC Mix Certified
Pattern	Mixmatched/Planked
Faces	Single Sided
Front Face	A Grade Prime American Walnut
Back Face	Recon veneer in similar tone
Process	Lightly Brushed
Finish	Prefinished, UV Cured Lacquer

Smoked Walnut MR

VS7013-MR

Thickness	19mm
Width	1240mm
Length	2790mm

STOCKED

Shinnoki flex sheets available to order - 3050 x 1220 x 1mm

Smoked Walnut Non-glued Edge Banding



Smoked Walnut 0.6mm x 24mm x 100m

VS7124

Smoked Walnut 0.6mm x 48mm x 100m

VS7125

Smoked Walnut 1mm x 24mm x 50m ABS

VS7124-ABS

Edge Banding pregluing service available.

Smoked Walnut Touch-up Pen



Smoked Walnut Repair Pen

VS7146

Clear Lacquer Repair Pen

VS7150



Cinnamon Triba Veneer

Construction	Veneer Panel, MDF MR Core
Environmental	FSC Mix Certified
Pattern	Mismatched/Planked
Faces	Single Sided
Front Face	A Grade Prime Triba
Back Face	Recon veneer in similar tone
Process	Lightly Brushed
Finish	Prefinished, UV Cured Lacquer

Cinnamon Triba MR

VS7012-MR

Thickness	19mm
Width	1240mm
Length	2790mm

STOCKED

Shinnoki flex sheets available to order - 3050 x 1220 x 1mm

Cinnamon Triba Non-glued Edge Banding



Cinnamon Triba 0.6mm x 24mm x 100m

VS7122

Cinnamon Triba 0.6mm x 48mm x 100m

VS7123

Cinnamon Triba 1mm x 24mm x 50m ABS

VS7122-ABS

Edge Banding pregluing service available.

Cinnamon Triba Touch-up Pen



Cinnamon Triba Repair Pen

VS7148

Clear Lacquer Repair Pen

VS7150



Stardust Walnut Veneer

Construction	Veneer Panel, MDF MR Core
Environmental	FSC Mix Certified
Pattern	Mixmatched/Planked
Faces	Single Sided
Front Face	A Grade Prime American Walnut
Back Face	Recon veneer in similar tone
Process	Lightly Brushed
Finish	Prefinished, UV Cured Lacquer

Stardust Walnut MR

VS7014-MR

Thickness	19mm
Width	1240mm
Length	2790mm

STOCKED

Shinnoki flex sheets available to order - 3050 x 1220 x 1mm

Stardust Walnut Non-glued Edge Banding



Stardust Walnut 0.6mm x 24mm x 100m VS7126

Stardust Walnut 0.6mm x 48mm x 100m VS7127

Stardust Walnut 1mm x 24mm x 50m ABS VS7126-ABS

Edge Banding pregluing service available.

Stardust Walnut Touch-up Pen



Stardust Walnut Repair Pen VS7149

Clear Lacquer Repair Pen VS7150

NEW

Chocolate Oak Veneer

Construction	Veneer Panel, MDF MR Core
Environmental	FSC Mix Certified
Pattern	Mixmatched/Planked
Faces	Single Sided
Front Face	A Grade Prime European Oak
Back Face	Recon veneer in similar tone
Process	Lightly Brushed
Finish	Prefinished, UV Cured Lacquer

Chocolate Oak MR

VS7015-MR

Thickness	19mm
Width	1240mm
Length	2790mm

STOCKED

Shinnoki flex sheets available to order - 3050 x 1220 x 1mm

Chocolate Oak Non-glued Edge Banding



Chocolate Oak 0.6mm x 24mm x 100m VS7128

Chocolate Oak 0.6mm x 48mm x 100m VS7129

Chocolate Oak 1mm x 24mm x 50m ABS VS7128-ABS

Edge Banding pregluing service available.

Chocolate Oak Touch-up Pen



Chocolate Oak Repair Pen VS7152

Clear Lacquer Repair Pen VS7150



Raven Oak Veneer

Construction	Veneer Panel, MDF MR Core
Environmental	FSC Mix Certified
Pattern	Mixmatched/Planked
Faces	Single Sided
Front Face	A Grade Prime European Oak
Back Face	Recon veneer in similar tone
Process	Lightly Brushed
Finish	Prefinished, UV Cured Lacquer

Raven Oak MR

VS7016-MR

Thickness	19mm
Width	1240mm
Length	2790mm

STOCKED

Shinnoki flex sheets available to order - 3050 x 1220 x 1mm

Raven Oak Non-glued Edge Banding



Raven Oak 0.6mm x 24mm x 100m

VS7130

Raven Oak 0.6mm x 48mm x 100m

VS7131

Raven Oak 1mm x 24mm x 50m ABS

VS7130-ABS

Edge Banding pregluing service available.

Raven Oak Touch-up Pen



Raven Oak Repair Pen

VS7147

Clear Lacquer Repair Pen

VS7150



Miele Showroom - VS7005-MR Desert Oak



Oakura Residence - VS7006-MR Manhattan Oak



VS7009 Stone Triba



CP Group Head Office - VS7016-MR Raven Oak



CP Group Head Office - VS7016-MR Raven Oak





VS7205 Vintage Hoboken

Querkus Oak Unfinished

Querkus is a collection of fine oak veneer panels. Every panel produced is unique, where the oak veneer is handled creatively and with the utmost respect. The production processes capture and enhance the beauty, colour, markings, and structure of solid wood. Querkus tells a story of quality and craftsmanship, offering every interior an individual, distinctive atmosphere.

- Moisture Resistant MDF Core
- Mixmatch/Planked Layout
- Large Panels - 3050 x 1220mm
- Matching Edge Banding in Timber
- Made in Europe. Stocked in New Zealand



Product photography should only be used as a guide to colour and grading. Due to the size of the image combined with the printing process and screen resolutions these should not be taken as a true representation of your floor. Variations to images will occur in both colour and grading.



Natural Adagio Smooth

Construction	Veneer Panel, MDF MR Core
Environmental	FSC on Request
Pattern	Quarter Cut Mixmatched/ Planked
Faces	Single Sided (A/B)
Grading	A Grade Prime European Oak B Grade European Oak in similar tone
Process	Smooth (Sanded 120 Grit)
Finish	Unfinished

Natural Adagio 2440 x 19mm A/B **VS7200-MR**

Thickness	19mm	STOCKED
Width	1220mm	
Length	2440mm	

Natural Adagio 3050 x 19mm A/B **VS7212-MR**

Thickness	19mm	STOCKED
Width	1220mm	
Length	3050mm	

Natural Adagio Flex **VS7212F**



Construction	Flex Veneer (Suitable for Door Skins)	STOCKED
Back Face	Paper Underlay	
Thickness	0.6mm	
Width	1240mm	
Length	3050mm	

Adagio Oak Non-glued Edge Banding



Adagio 0.6mm x 26mm x 50m Smooth **VS7300**

Adagio 0.6mm x 46mm x 50m Smooth **VS7301**

Edge Banding pregluing service available.



Natural Allegro Smooth

Construction	Veneer Panel, MDF MR Core
Environmental	FSC on Request
Pattern	Quarter Half Crown Mixmatched/Planked
Faces	Single Sided (A/B) or Double Sided (A/A)
Grading	A Grade Prime European Oak B Grade European Oak in similar tone
Process	Smooth (Sanded 120 Grit)
Finish	Unfinished

Natural Allegro 3050 x 13mm A/B **VS7215-MR**

Thickness	13mm	<input type="checkbox"/> STOCKED
Width	1220mm	
Length	3050mm	

Natural Allegro 2440 x 19mm A/A **VS7216-MR**

Thickness	19mm	<input type="checkbox"/> STOCKED
Width	1220mm	
Length	2440mm	

Natural Allegro 3050 x 19mm A/A **VS7217-MR**

Thickness	19mm	<input type="checkbox"/> STOCKED
Width	1220mm	
Length	3050mm	

Natural Allegro 2440 x 26mm A/A **VS7218-MR**

Thickness	26mm	<input type="checkbox"/> STOCKED
Width	1220mm	
Length	2440mm	

Allegro Oak Non-glued Edge Banding



Allegro 0.6mm x 26mm x 50m Smooth **VS7300**

Allegro 0.6mm x 46mm x 50m Smooth **VS7301**

Edge Banding pregluing service available.



Natural Allegro Brushed

Construction	Veneer Panel, MDF MR Core
Environmental	FSC on Request
Pattern	Quarter Half Crown Mixmatched/Planked
Faces	Single Sided (A/B) or Double Sided (A/A)
Grading	A Grade Prime European Oak
	B Grade European Oak in similar tone
Process	Brushed Front Face, Smooth Back Face
Finish	Unfinished

Natural Allegro 2440 x 19mm A/B VS7201-MR

Thickness	19mm	STOCKED
Width	1220mm	
Length	2440mm	
Brushed	1 Face	

Natural Allegro 3050 x 19mm A/B VS7213-MR

Thickness	19mm	STOCKED
Width	1220mm	
Length	3050mm	
Brushed	1 Face	

Natural Allegro 3050 x 19mm A/A VS7219-MR

Thickness	19mm	STOCKED
Width	1220mm	
Length	3050mm	
Brushed	2 Face	

Natural Allegro 2440 x 26mm A/A VS7220-MR

Thickness	26mm	STOCKED
Width	1220mm	
Length	2440mm	
Brushed	2 Face	

Allegro Oak Non-glued Edge Banding



Allegro 1mm x 26mm x 50m Brushed VS7302

Allegro 1mm x 46mm x 50m Brushed VS7303

Allegro 1.9mm x 26mm x 50m Brushed VS7304

Allegro 1.9mm x 46mm x 50m Brushed VS7305

Edge Banding pregluing service available.



Natural Allegro Sawn

Construction	Veneer Panel, MDF MR Core
Environmental	FSC on Request
Pattern	Quarter Half Crown Mixmatched/Planked
Faces	Single Sided (A/B) or Double Sided (A/A)
Grading	A Grade Prime European Oak B Grade European Oak in similar tone
Process	Sawn Front Face, Smooth Back Face
Finish	Unfinished

Natural Allegro 2440 x 19mm A/B VS7201-S1-MR

Thickness	19mm	STOCKED
Width	1220mm	
Length	2440mm	
Sawn	1 Face	

Natural Allegro 3050 x 19mm A/B VS7213-S1-MR

Thickness	19mm	STOCKED
Width	1220mm	
Length	3050mm	
Sawn	1 Face	

Allegro Oak Non-glued Edge Banding



Allegro 0.8mm x 26mm x 50m Sawn VS7302-S1

Allegro 0.8mm x 46mm x 50m Sawn VS7303-S1

Edge Banding pregluing service available.



Natural Vivace Brushed

Construction	Veneer Panel, MDF MR Core
Environmental	FSC on Request
Pattern	Mismatched/Planked
Faces	Single Sided (A/B) or Double Sided (A/A)
Grading	A Grade Character European Oak B Grade European Oak in similar tone
Process	Brushed Front Face, Smooth Back Face
Finish	Unfinished

Natural Vivace 2440 x 19mm A/B

VS7202-MR

Thickness	19mm
Width	1220mm
Length	2440mm
Brushed	1 Face

STOCKED

Natural Vivace 3050 x 19mm A/B

VS7214-MR

Thickness	19mm
Width	1220mm
Length	3050mm
Brushed	1 Face

STOCKED

Vivace Oak Non-glued Edge Banding



Vivace 1mm x 26mm x 50m Brushed

VS7302

Vivace 1mm x 46mm x 50m Brushed

VS7303

Vivace 1.9mm x 26mm x 50m Brushed

VS7304

Vivace 1.9mm x 46mm x 50m Brushed

VS7305

Edge Banding pregluing service available.



Natural Vivace Sawn

Construction	Veneer Panel, MDF MR Core
Environmental	FSC on Request
Pattern	Mismatched/ Planked
Faces	Single Sided (A/B) or Double Sided (A/A)
Grading	A Grade Character European Oak B Grade European Oak in similar tone
Process	Sawn Front Face, Smooth Back Face
Finish	Unfinished

Natural Vivace 2440 x 19mm A/B VS7202-S1-MR

Thickness	19mm	STOCKED
Width	1220mm	
Length	2440mm	
Sawn	1 Face	

Natural Vivace 3050 x 19mm A/B VS7214-S1-MR

Thickness	19mm	STOCKED
Width	1220mm	
Length	3050mm	
Sawn	1 Face	

Vivace Oak Non-glued Edge Banding



Vivace 0.8mm x 26mm x 50m Sawn VS7302-S1

Vivace 0.8mm x 46mm x 50m Sawn VS7303-S1

Edge Banding pregluing service available.



Vintage Harlem Brushed

Construction	Veneer Panel, MDF MR Core
Environmental	FSC on Request
Pattern	Mismatched/Planked
Faces	Single Sided (A/B) or Double Sided (A/A)
Grading	A Grade Genuine Reclaimed European Oak
Process	B Grade European Oak
Finish	Brushed Front Face, Smooth Back Face Unfinished

Vintage Harlem 3050 x 19mm A/B

VS7204-MR

Thickness	19mm
Width	1220mm
Length	3050mm
Brushed	1 Face

STOCKED

Harlem Oak Non-glued Edge Banding



Vintage Harlem 1mm x 26mm x 50m Brushed

VS7308

Vintage Harlem 1mm x 46mm x 50m Brushed

VS7309

Edge Banding pregluing service available.



NEW

Vintage Hoboken Brushed

Construction	Veneer Panel, MDF MR Core
Environmental	FSC on Request
Pattern	Mismatched/Planked
Faces	Single Sided (A/B) or Double Sided (A/A)
Grading	A Grade Genuine Reclaimed European Oak
Process	B Grade European Oak
Finish	Brushed Front Face, Smooth Back Face Unfinished

Vintage Hoboken 3050 x 19mm A/B

VS7205-MR

Thickness	19mm
Width	1220mm
Length	3050mm
Brushed	1 Face

STOCKED

Hoboken Non-glued Edge Banding



Vintage Hoboken 1mm x 26mm x 50m Brushed VS7310

Vintage Hoboken 1mm x 46mm x 50m Brushed VS7311

Edge Banding pregluing service available.



Retro Baltimore Brushed

Construction	Veneer Panel, MDF MR Core
Environmental	FSC on Request
Pattern	Mixmatched/Planked
Faces	Double Sided (A/A)
Grading	A Grade Rustic European Oak
Process	Brushed Front Face, Smooth Back Face
Finish	Smoked, Unfinished

Retro Baltimore 3050 x 19mm A/A **VS7208-MR**

Thickness	19mm	STOCKED
Width	1220mm	
Length	3050mm	
Brushed	1 Face	

Baltimore Oak Non-glued Edge Banding



Retro Baltimore 1mm x 26mm x 50m Brushed **VS7316**

Retro Baltimore 1mm x 46mm x 50m Brushed **VS7317**

Edge Banding pregluing service available.



Smoked Arabica Brushed

Construction	Veneer Panel, MDF MR Core
Environmental	FSC on Request
Pattern	Mixmatched/Planked
Faces	Double Sided (A/A)
Grading	A Grade Prime European Oak
Process	Brushed Front Face, Smooth Back Face
Finish	Smoked, Unfinished

Smoked Arabica 3050 x 19mm A/A

VS7210-MR

Thickness	19mm
Width	1220mm
Length	3050mm
Brushed	1 Face

STOCKED

Arabica Oak Non-glued Edge Banding



Smoked Arabica 1mm x 26mm x 50m Brushed VS7320

Smoked Arabica 1mm x 46mm x 50m Brushed VS7321

Edge Banding pregluing service available.



Smoked Robusta Brushed

Construction	Veneer Panel, MDF MR Core
Environmental	FSC on Request
Pattern	Mixmatched/Planked
Faces	Double Sided (A/A)
Grading	A Grade Prime European Oak
Process	Brushed Front Face, Smooth Back Face
Finish	Smoked, Unfinished

Smoked Robusta 3050 x 19mm A/A

VS7211-MR

Thickness	19mm
Width	1220mm
Length	3050mm
Brushed	1 Face

STOCKED

Robusta Oak Non-glued Edge Banding



Smoked Robusta 1mm x 26mm x 50m Brushed VS7322

Smoked Robusta 1mm x 46mm x 50m Brushed VS7323

Edge Banding pregluing service available.

Premium Wood Oil 1L

VS7399

NEW



Usage Suitable for unfinished timber veneer including Querkus & Nordus.

STOCKED

Coverage 10m² per litre or 100 g/m² per coat

Drying times Dust-free drying: 20 minutes
Sandable/recoatable drying: 1hr (*do not wait more than 48hrs between coats*)
Curing time: 4 to 7 days





Herne Bay Townhouse - Allegro Brushed Veneer



Waiheke Island Residence - Allegro Brushed Veneer



Waiheke Island Residence - Allegro Brushed Veneer



Poured Pleats, Auckland - VS7400 Spring Larch (stained)

Nørdus Larch Unfinished

The Nørdus range of larch veneers embodies the Scandinavian lifestyle, cosiness, and warmth. The deep brushing of the larch grain adds distinctive texture and beautiful structure, enhancing any interior that calls for a unique element.

- Moisture Resistant MDF Core
- Mixmatch/Planked Layout
- Large Panels - 2790 x 1240mm
- Matching Edge Banding in Timber
- Made in Europe. Stocked in New Zealand



Product photography should only be used as a guide to colour and grading. Due to the size of the image combined with the printing process and screen resolutions these should not be taken as a true representation of your floor. Variations to images will occur in both colour and grading.



Spring Larch Veneer

Construction	Veneer Panel, MDF Core
Environmental	FSC on Request
Pattern	Mismatched/Planked
Faces	Single Sided (A/B) or Double Sided (A/A)
Grading	A Grade Prime European Larch B Grade European Larch in similar tone
Process	Brushed Front Face, Smooth Back Face
Finish	Unfinished

Spring Larch 2790 x 19mm A/B

VS7400

Thickness	19mm
Width	1240mm
Length	2790mm
Brushed	1 Face

STOCKED

Spring Larch Non-glued Edge Banding



Spring Larch 0.6mm x 26mm x 50m Brushed

VS7500

Spring Larch 0.6mm x 46mm x 50m Brushed

VS7501

Edge Banding pregluing service available.



Winter Larch Veneer

Construction	Veneer Panel, MDF Core
Environmental	FSC on Request
Pattern	Mismatched/Planked
Faces	Double Sided (A/A)
Grading	A Grade Prime European Larch
Process	Brushed Front Face, Smooth Back Face
Finish	Smoked, Unfinished

Winter Larch 2790 x 19mm A/A

VS7402

Thickness	19mm
Width	1240mm
Length	2790mm
Brushed	1 Face

STOCKED

Winter Larch Non-glued Edge Banding



Winter Larch 0.6mm x 26mm x 50m Brushed

VS7504

Winter Larch 0.6mm x 46mm x 50m Brushed

VS7505

Edge Banding pregluing service available.



VS7400 Spring Larch



VidaSpace Wellington Showroom - VS7402 Winter Larch



VidaSpace Wellington Showroom - VS7402 Winter Larch



Private Residence - VS1010 Harken Reclaimed

VidaGroove

Formally known as the Outland range, VidaGroove is a collection of genuinely reclaimed timbers sourced from the Great Lakes region in North America and Spruce from Eastern Europe. Salvaged from old barns and sheds, the timbers are then graded and milled into install-ready boards.



Product photography should only be used as a guide to colour and grading. Due to the size of the image combined with the printing process and screen resolutions these should not be taken as a true representation of your floor. Variations to images will occur in both colour and grading.

Outpost

VS1018



Thickness 15mm
Width 76-229mm
Length Random
Grade Rustic Reclaimed

STOCKED

Harken

VS1010



Thickness 19mm
Width 89-292mm
Length Random
Grade Rustic Reclaimed

STOCKED

Tempest

VS1016



Thickness 15mm
Width 76-229mm
Length Random
Grade Rustic Reclaimed

STOCKED

Limewashed Spruce

HRC1950



Thickness 15mm
Width Random
Length Random
Grade Rustic Reclaimed

STOCKED



Private Residence - VS1010 Harken Reclaimed



Milly's- HRC1950 Limewashed Spruce




Waiheke Island Residence - Allegro Brushed Veneer Pg 142 & Jutland Wide Henley Pg 92

VidaCare

At VidaSpace we care about your wood flooring, which is why we introduced our Care Kits, and now our VidaCare lifetime support system. With the right care, maintenance, and products, your flooring will last a lifetime.

- Lifetime Advice & Support
- Care Product Range
- Care Guides
- Assist in Connecting with Repair & Maintenance experts
- Online FloorCare Shop



Residential Wood Flooring Care Guide



Lacquer	UV Oil		Natural Oil
	Natural & Dark UV Oils	White UV Oils	
	After installation in kitchens and high usage areas:	After installation in kitchens and high usage areas:	After installation:
	HW95058 MXC700 Liquid Wax Care	HW950120 MXC705 Liquid Wax Care White	HW850141 Marldon Hardwax Ultra Matt
Daily:	Daily:	Daily:	Daily:
Sweep/Vacuum	Sweep/Vacuum	Sweep/Vacuum	Sweep/Vacuum
Weekly:	Weekly:	Weekly:	Weekly:
Damp Clean with Spray Mop and Multicleaner	Damp Clean with Spray Mop and Cleancare Concentrate	Damp Clean with Spray Mop and Cleancare Concentrate	Damp Clean with Spray Mop and Cleancare Concentrate
Maintenance:	Maintenance:	Maintenance:	Maintenance:
Bona Wood Floor Refresher	HW95058 MXC700 Liquid Wax Care	HW950120 MXC705 Liquid Wax Care White	HW95058 MXC700 Liquid Wax Care

Commercial Wood Flooring Care Guide



Assembly Label - Alsace (Replaced by Bradbury - Pg 110)

Lacquer	UV Oil		Natural Oil
	Natural & Dark UV Oils After installation in exceptionally high traffic areas, e.g. Entrance/Lift Lobby areas, Tea points etc.	White UV Oils After installation in exceptionally high traffic areas, e.g. Entrance/Lift Lobby areas, Tea points etc.	After installation:
	HW95058 MXC700 Liquid Wax Care	HW950120 MXC705 Liquid Wax Care White	HW850141 Marldon Hardwax Ultra Matt
Daily:	Daily:	Daily:	Daily:
Sweep/Vacuum	Sweep/Vacuum	Sweep/Vacuum	Sweep/Vacuum
2-3 Times Per Week:	2-3 Times Per Week:	2-3 Times Per Week:	2-3 Times Per Week:
Damp Clean with Spray Mop and Multicleaner	Damp Clean with Spray Mop and Cleancare Concentrate	Damp Clean with Spray Mop and Cleancare Concentrate	Damp Clean with Spray Mop and Cleancare Concentrate
Maintenance:	Maintenance:	Maintenance:	Maintenance:
Bona Wood Floor Refresher	HW95058 MXC700 Liquid Wax Care	HW950120 MXC705 Liquid Wax Care White	HW95058 MXC700 Liquid Wax Care

Platinum Floor Care Kits

Our care kits are a complete guide to your flooring care and maintenance.
Now available to purchase on our FloorCare Online shop.



Product	Oiled Kit - Clear SKU: VSCM001	Oiled Kit - White SKU: VSCM004	Lacquered Kit SKU: VSCM002
Cleaning Kit including Spray Mop Head, Multicleaner	✓	✓	✓
Clean Care Concentrate	✓	✓	
Multicleaner 4L			✓
Liquidwax Clear	✓		
Liquidwax White		✓	
Felt Feet Packs x 2	✓	✓	✓
Spare Mop Head	✓	✓	✓

Please speak to our team to make sure you select the correct cleaning kit for your floor.

Advanced Cleaning Mop Kit



HW950112

Marldon Multicleaner 4L



HW950115

Marldon Spare Mop Head



HW950116

Marldon Cleancare 1L



HW950059

Marldon Liquidwax Care - Clear 1L



HW950058

Marldon Liquidwax Care - White 1L



HW950102

Felt Furniture Feet



HW105067

Wax Repair Kit (available in light, medium & dark tones)





Installation Accessories

We stock the full range of accessories and tools required for installing and finishing our products. Please enquire if you require instructions for use, or visit the 'Install Guides' section on our website.



17kg Wood Floor Adhesive

HW650043



Description MXA200 wood floor adhesive is for surface bonding most types of wood flooring. Approx Coverage 14-20m²

STOCKED

600ml Wood Floor Adhesive

HW650048



Description MXA200 wood floor adhesive is for surface bonding most types of wood flooring. Approx coverage 1.3 - 1.7m² at 250mm centres. 12 per carton.

STOCKED

Marldon Rapid DPM 4 Litre

HW250036



Description An accelerated two part epoxy based DPM that cures as a surface membrane over concrete, sand and cement subfloors. One coat system up to 97%RH

STOCKED

Coverage Approx 12.5-15m² per 4 litre

Marldon Universal Primer MX120

HW250038




Description A universal primer for porous substrates such as screeds and timber sub floors. Coverage approx. 8m² per litre

STOCKED

Size/ Quantity 5 litres

600ml Rapid Cure (Walls & Ceilings)

VSA0202



Description Moisture curing adhesive with excellent bond strength. Rapid cure, good wet grab and initial hold.

STOCKED

Coverage 1m² approx. per 600ml

Marldon Notched Trowel 3mm

HW105048



Description For the application of most flooring grade adhesives. 3mm notch.

STOCKED

Marldon Oil Applicator Brush

HW105020



Description High quality brush for the application of Marldon Hardwax Oil.

STOCKED

Marldon Hardwax Oil Ultra Matt 2.5L

HW850141



Description Quick drying clear hardwax oil.

STOCKED

Coverage: 23m² per coat per 1 litre

A30 Strata 3mm Acoustic Underlay **HW150097**



Description Strata A30 is a tough and durable acoustic resilient layer designed to attenuate impact sound at source. Density is 750 kg/m³. Suitable for Glue Down installation methods. STOCKED

Size/ Quantity Dimensions 3mm x 1.3m x 20m
Roll Area 26m²

A50 Strata 5mm Acoustic Underlay **VS150090**



Description Strata A50 is our most robust and efficient way of reducing impact noise at ground level where floor height is at a premium. Density is 960 kg/m³. Suitable for Glue Down installation methods. STOCKED

Size/ Quantity Dimensions 5mm x 1.25m x 9.14m
Roll Area 13m²

Kingley Gold 5mm **HW150092**



Description The Kingley Acoustic Underlay system is a foil-backed timber flooring underlay ideal for high-volume commercial or residential projects. Suitable for floating installation methods. STOCKED

Size/ Quantity 8m² Roll 5mm thick / 27dB reduction

Kingley Silver 3mm **HW150091**



Description The Kingley Acoustic Underlay system is a foil-backed timber flooring underlay ideal for high-volume commercial or residential projects. Suitable for floating installation methods. STOCKED

Size/ Quantity 10m² Roll 3mm thick / 21dB reduction

15m² Provent Underlay **HW150063**



Description A high quality multifunctional underlay. Helps eliminate underfloor water vapour with unique micropumping ventilation system. Includes vapour barrier. Excellent 22dB impact sound reduction. Suitable with underfloor heating. 2.3mm thickness. Suitable for floating installation methods. STOCKED

50m² Provent Underlay **HW150064**



Description A high quality multifunctional underlay. Helps eliminate underfloor water vapour with unique micropumping ventilation system. Includes vapour barrier. Excellent 22dB impact sound reduction. Suitable with underfloor heating. 2.3mm thickness. Suitable for floating installation methods. STOCKED



VidaPlank Douglas Fir Pg 68

Flooring Profiles


At VidaSpace we are pleased to offer a range of standard and custom-made flooring profiles to complement our entire range of flooring products. Additional features such as custom stair profiles and metal trims can enhance your flooring and design details.



Prefinished Matching Nosings



Flush Prefinished Nosing



Square Prefinished Nosing



Flush Nosing 10–14mm

VSBFN1014

Description Prefinished matching flush nosings for The Italian Collection, Pureplank & Henley

MADE TO ORDER

Dimensions Please enquire

Square Nosing 10–14mm

VSBSN1014

Description Prefinished matching square nosings for The Italian Collection, Pureplank & Henley

MADE TO ORDER

Dimensions Please enquire

Flush Nosing 18–21mm

VSBFN1821

Description Prefinished matching flush nosings for Venture Plank (All 20mm Boards)

MADE TO ORDER

Dimensions Please enquire

Square Nosing 18–21mm

VSBSN18-21

Description Prefinished matching square nosings for Venture Plank (All 20mm Boards)

MADE TO ORDER

Dimensions Please enquire

Matching VidaPlank Oak Nosing

See Page 55



Matching Parky Oak Nosing

See Page 117



Floating Stair Treads

Looking for matching floating stair treads? We can help with these. Made to order out of the same product as your floor, these are expertly engineered to create a robust and seamless solution for your floor and stairs.

Options available:

- Box 4 sides with open one or both ends
- End caps either fitted or supplied loose to fit after
- Box 3 sides with 4th side supplied to be fitted after
- Solid timber core option

Note this isn't possible with all of our products so please contact our team today with your design and requirements

Visit our showrooms to check out our stair model displays



VidaPlank Douglas Fir Pg 68

Metal Trims

Brass Trims



Angle Trim

Small - 12.7 x 12.7 x 1.59 x 3600mm
Large - 19.05 x 19.05 x 3.18 x 3600mm

VS5001
VS5002

Flat Bar

Small - 12.7 x 3.18 x 3600mm
Large - 19.05 x 3.18 x 3600mm

VS5003
VS5004

Square Bar

Small - 6.35 x 6.35 x 3600mm

VS5005

Stainless Steel Trims



Flat Bar

Small - 12 x 3 x 4000mm

VS5006

Square Bar

Small - 6 x 6 x 4000mm

VS5007

Angle Trim



Flat Bar



Square Bar





Shirland Road - HW16604 Pallido Chevron The Italian Collection Pg 102



Shirland Road - HW16604 Pallido Chevron The Italian Collection Pg 102

Wood Flooring Explained

Finishes



UV Oil

A UV Oil finish consists of multiple layers of hardwax oil, cured under a UV light, rendering it extremely strong. It combines the durability of lacquer, with the natural appearance of oil. This finish is water-repellent, dirt and stain resistant. An easy-care oil option, with the benefit of patch-repairability to minimise the look of scratches and to refreshen dull areas.



Lacquer

A polyurethane water based coating that covers the pores of the wood and forms a hard, resilient surface, protecting it from dirt and moisture. A lacquer will protect a wood floor with minimal maintenance for years, depending on foot traffic. Requires sanding and refinishing to rejuvenate and repair.



Oil

An oil penetrates deep into the wood, protecting it from the inside out. The most subtle of finishes, bringing out the true natural beauty of both the colour and grain. Oiled floors require regular care and maintenance but have the ability to be patch repaired.

Wear Layers


Our timbers come in a variety of wear layer thicknesses, which offer various sanding opportunities.

Our Parky veneer flooring range has a 0.6mm oak wear layer. This is an exceptionally durable product, but unable to be sanded.

Our PurePlank range has a 2.5mm oak wear layer. This can be sanded and refinished 1 to 2 times.

Our other flooring ranges will vary dependant on spec. Generally, if the overall plank thickness is under 20mm, it will have a 4mm oak wear layer, which is able to be sanded 2 to 3 times. If the overall thickness is 20mm or over, it will have a 6mm oak wear layer, and is able to be sanded 4 to 5 times.

Note oiled and UV Oiled floors are unlikely to require sanding due to the surface being able to be overcoated, so the thickness of the wear layer is a less important factor compared to lacquer finishes.



0.6mm




2.5mm



4mm



6mm



Underfloor Heating

All of our engineered floorings options are able to be installed over underfloor heating systems.

It is important to acclimatise your timber prior to laying by placing it in the area that will be heated, turning on the heating and letting the moisture content adjust to the temperate.

The floor surface temperature must not exceed **27°C**.

As long as all installation guides are followed, we will warranty any of our engineered timber floors over underfloor heating, and you can rest assured it won't warp, cup or crack.

Random Lengths & Nested Boards

Some of our ranges are sold in set lengths, while others you may notice are noted as "random lengths".

Set lengths – all packs and planks are supplied in one length.

Random lengths – varying pack lengths are supplied, usually two lengths – e.g. 1800mm and 2400mm.

Within random length ranges, you will find "nested" or "short" boards. This means, within your pack of full-length boards, you will have some shorter planks. Typically, these will be in a 1/2 and 1/2 length, or in some cases 1/3 and 2/3 length. This is to minimise wastage in manufacturing. These are useful for starting at the edge of the room, for smaller areas such as cupboards, or for installing under permanent furniture or rugs.



Flooring Grades & Info

Grading and Techniques

In our collections we deal with a number of mills who work to varying parameters, so we have established our own standards as shown here on oak boards. These are likely to be the “worst case”; many individual planks will fall well within this. But please do remember, since they are usually selected by eye, there is always scope for an occasional board to fall outside of these parameters. Of course, each and every plank is unique, so all parameters should be taken simply as an indication.




Prime

Has very little, if any knots. There will be a minimal amount of colour and grain variation. Only 5% of a 100-year-old Oak tree can produce prime grade.



Select/ Classic

A mix of prime and slightly knotty boards. Some colour and grain variation can be expected, and there will be minimal sapwood and filler.



Character

The most common grade. Includes both heartwood, sapwood, colour and grain variation. Allows for a range of both knotty and select boards.



Natural / Rustic

Allows limitless size and number of knots. You can expect colour and grain variation, heartwood and sapwood.

Sapwood

Sapwood is the living part of the tree through which water and sap flow. It is always lighter in colour than the heartwood, and certain fuming, smoking and colouring processes can emphasise it.



Smoked & White Oiled



Smoked




Natural Stained

Knots and Fillers

A knot is either the base of a side branch or a dormant bud around which the grain flows. A knot is sometimes replaced by filler and this may be of various colours: grey, brown and black are shown here.



Grey



Brown



Black

Medullary Rays, Checks and Shakes



Medullary rays are cellular structures found in some species of wood, including oak. These naturally-occurring white, ribbon-like medullary rays are an indication that the plank has been manufactured from quarter-sawn timber. these usually occur at the end of a board and may be cut off.

Veneer Finishes

Finishes



Unfinished

Unfinished veneer is exactly as it sounds - it has not been treated or sealed yet, meaning there are endless possibilities for colouring and finishing it to your desired look.



Pre-finished

Pre-finished veneer removes the need for a paint shop to apply another coating to the panels once they are cut. Advantages include speed of processing, colour consistency and cost savings.



Lacquered

A hard wearing polyurethane coating that seals the pores of the wood and forms a hard, resilient surface. Available in a variety of sheen levels from different brands.



Oiled

Generally plant based, Oil penetrates deep into the wood and brings out the true beauty of both the color and grain. In addition to providing a natural look, oil can be repaired as required, and generally needs maintenance regularly.

Images are examples only, a wide range of colours are available in each of the finish options. See Shinnoki, Querkus and Nordus collections.

Grade



Prime



Rustic



Recycled

Surface



Smooth



Brushed



Sawn

Jointing

To achieve a uniform surface, wood veneer from different trees with varying slicing techniques are selected and spliced into a sheet. The purpose of this is to achieve a solid look, avoid issues like excess weight and curvature/warping. The result is totally unique panels with a uniform look for cohesiveness and seamlessness en masse.




Quarter Cut Mixmatched



Crown & Quarter Cut Mixmatched

Sample Service

We offer a seamless sample service including free hand samples and a comprehensive library support system for industry professionals. To order samples please get in contact with our team on 0800 119 388 or email info@vidaspace.co.nz



Prefinished Veneer Fan Deck



Unfinished Veneer Fan Deck

VidaSpace Auckland Showroom
105 St. Georges Bay Road, Parnell,
Auckland, New Zealand

VidaSpace Wellington Showroom
1 College Street, Te Aro,
Wellington, New Zealand

0800 119 388
info@vidaspace.co.nz
vidaspace.co.nz

Head Office and Distribution
20 Roe St, Levin 5571, New Zealand



vidaspace[®]