

VidaPlank™ Oak

vidaxl
space®



Contents

01 VidaSpace

- 2 Our Promise
- 4 Our People
- 6 Our Showrooms

02 VidaPlank 2022

 Wood Flooring

- 8 VidaPlank Oak
- 26 Flooring Profiles
- 30 VidaCare
- 34 Sample Service

Our Promise



World-Class Showrooms

Come and enjoy a Nespresso coffee while exploring our designs from around the world. Our friendly team are experts in design, installation, technical & care advice, and they will go above and beyond to give you 6-star service.



VidaCare® – Lifetime Advice & Support

Need help to keep your floor looking beautiful? We offer free lifetime advice, stock a leading brand of maintenance products, and can also connect you with long-term maintenance experts. We will ensure that your floor lasts and looks exquisite for a lifetime.



360° Wood Interiors®

Select and specify a complete range of interior wood finishes for your project in one place. We supply flooring, joinery, and wall & ceiling cladding - all sourced from premium European mills for your confidence and ease.



The Most Environmentally-Certified

We don't just pay lip service. We are leading the way in the New Zealand wood flooring and veneer market with third-party environmental accreditations including, FSC and Cradle to Cradle. We choose to partner with manufacturers that share our values - caring for forests, communities and their futures.



Leaders in Bespoke


Collaborate with our consultants to design a unique floor or interior wood finish that is truly one-of-a-kind. We are known to love a challenge and we welcome custom designs. The possibilities are endless, and the results spectacular.



Our People



Jimmy Simmons
Managing Director
jimmy.simmons@vidaspace.co.nz
021 246 4089



Brad Simmons
Operations Manager
brad.simmons@vidaspace.co.nz
021 639 705



Paul Simmons
Director
paul.simmons@vidaspace.co.nz
021 228 5774




Aaron McLean
Commercial Manager
aaron.mclean@vidaspace.co.nz
021 224 2850



Ahlia McKenzie
Interior Design Consultant
ahlia.mckenzie@vidaspace.co.nz
027 582 5357




Emily Smith-Pilling
Specification Consultant
emily.smith-pilling@vidaspace.co.nz
027 776 6626




Fran Coombe
Specification Consultant
fran.coombe@vidaspace.co.nz
021 961 862



Carolina Sánchez
Auckland Showroom Consultant
carolina.sanchez@vidaspace.co.nz
021 320 524



Jessica Androutsos
Wellington Showroom Consultant
jessica.androutsos@vidaspace.co.nz
021 368 782



Melanie Haywood
Specification Consultant South Island
melanie.haywood@vidaspace.co.nz
021 199 2161

Our Showrooms

VidaSpace Showrooms

Experience our VidaSpace expertise, service and warm hospitality whilst discovering our exquisite collections of interior finishes. VidaSpace Showrooms are the perfect place to explore your next design project or host a client meeting.

VidaSpace Auckland Showroom

0800 119 388

auckland@vidaspace.co.nz

105 St Georges Bay Road,
Parnell, Auckland

VidaSpace Wellington Showroom

0800 119 388

wellington@vidaspace.co.nz

1 College Street,
Te Aro, Wellington

Hours

Mon-Fri: 8.30am - 5.00pm

Saturday: 10:00am - 2:00pm



Auckland Showroom



Wellington Showroom



VidaPlank™ Oak

Over the years, we have been designing and curating our own range and we are very pleased to introduce our very own collection of flooring – VidaPlank™.

This all-new collection offers ultimate freedom in design with over 500 possible combinations of colours, grades, patterns and sizes, and a beautiful V-Groove matching plank in long lengths for walls and ceilings. Accompanied by matching touch-up stains and solid stair nosings.

VidaPlank™ is FSC® Certified, and NZ Slip Rating-tested. VidaPlank™ sets a whole new standard in the industry for design freedom, premium European quality, third party certification and ease of specification.



Product photography should only be used as a guide to colour and grading. Due to the size of the image combined with the printing process and screen resolutions these should not be taken as a true representation of your floor. Variations to images will occur in both colour and grading.

Full Panels can be viewed in our Auckland & Wellington Showrooms

PlankBuilder™

Try out our PlankBuilder™ online configurator to design your floor, wall or ceiling – achieving your perfect colour-style-size-grade combination. Choose from our stocked styles or create your own unique custom specification.

1. Select your Colour
2. Select your Style
3. Select your Size
4. Select your Grade

Instant Online Access to:



Technical Data Sheet
For Your Design



Specification
Text For Your Design




High Resolution
Sample Panel Image



NZ Slip Test Results



FSC® Certification




RRP & Lead Times

Stocked Options In Each Colour



180 x 16mm Plank



120 x 580mm Herringbone



Matching Solid Nosing & Stains

Step 1: Select Your Colour



Stratus



Pumice



Sandstone




Mudbrick




Dawn



Haze



Equinox




Peat




Obsidian


Step 2 & 3: Select Your Plank Style & Size




Herringbone




Chevron



Plank



V Groove



Step 4: Select Your Grade



Select Grade



Character Grade



Rustic Grade

Plank Profiles



13/4mm (4mm Bevel) V Groove Wall & Ceiling

Pictured : 160mm Wide Plank



16/4mm (1.5mm Bevel) Flooring

Pictured : 180mm Wide Plank



20/6mm (1.5mm Bevel) Flooring

Pictured : 180mm Wide Plank

VidaPlank Accessories



2400mm Solid Stair Nosing



Touch-up Repair Stains



Metal Trims - See Page 28



NEW

Stratus

Construction	Engineered
Species	European Oak
Process	Brushed & Limed
Finish	Platinum UV Oiled
Profile	Tongue & Groove
Bevel	Flooring 1.5mm long edges V Groove 4mm long edges
Grades	Select, Character & Rustic

Width x Length x Thickness/Wear Layer

Plank Flooring

120 x 1200-2400 x 16/4mm

180 x 1200-2400 x 16/4mm - Stocked in Select

180 x 1200-2400 x 20/6mm

260 x 1200-2400 x 20/6mm

300 x 1200-3000 x 20/6mm

350 x 1200-3000 x 20/6mm

Plank MXD - 180 | 260 | 300 x 20/6mm

Herringbone Flooring

Herringbone - 120 x 580 x 16/4mm - Stocked in Select

Herringbone - 120 x 580 x 20/6mm

Herringbone XL - 220 x 1100 x 16/4mm

Chevron Flooring

Chevron - 120 x 580 x 16/4mm

Chevron - 120 x 580 x 20/6mm

Chevron XL - 220 x 1100 x 16/4mm

Prefinished Solid Stair Nosing

Solid Oak Stair Nosing 16mm x 2.4m - Stocked

Solid Oak Stair Nosing 20mm x 2.4m

V Groove Wall & Ceiling

160 x 2400 - 3000 x 13/4mm

Use the PlankBuilder™ on our website
to design your floor, wall or ceiling.



NEW

Pumice

Construction	Engineered
Species	European Oak
Process	Sanded & Limed
Finish	Platinum UV Oiled
Profile	Tongue & Groove
Bevel	Flooring 1.5mm long edges V Groove 4mm long edges
Grades	Select, Character & Rustic

Width x Length x Thickness/Wear Layer

Plank Flooring

120 x 1200–2400 x 16/4mm

180 x 1200–2400 x 16/4mm - Stocked in Select

180 x 1200–2400 x 20/6mm

260 x 1200–2400 x 20/6mm

300 x 1200–3000 x 20/6mm

350 x 1200–3000 x 20/6mm

Plank MXD - 180 | 260 | 300 x 20/6mm

Herringbone Flooring

Herringbone - 120 x 580 x 16/4mm - Stocked in Select

Herringbone - 120 x 580 x 20/6mm

Herringbone XL - 220 x 1100 x 16/4mm

Chevron Flooring

Chevron - 120 x 580 x 16/4mm

Chevron - 120 x 580 x 20/6mm

Chevron XL - 220 x 1100 x 16/4mm

Prefinished Solid Stair Nosing

Solid Oak Stair Nosing 16mm x 2.4m - Stocked

Solid Oak Stair Nosing 20mm x 2.4m

V Groove Wall & Ceiling

160 x 2400 - 3000 x 13/4mm

Use the PlankBuilder™ on our website
to design your floor, wall or ceiling.

NEW

Sandstone

Construction	Engineered
Species	European Oak
Process	Sanded
Finish	Platinum UV Oiled
Profile	Tongue & Groove
Bevel	Flooring 1.5mm long edges V Groove 4mm long edges
Grades	Select, Character & Rustic

Width x Length x Thickness/Wear Layer

Plank Flooring

120 x 1200-2400 x 16/4mm

180 x 1200-2400 x 16/4mm - Stocked in Character

180 x 1200-2400 x 20/6mm

260 x 1200-2400 x 20/6mm

300 x 1200-3000 x 20/6mm

350 x 1200-3000 x 20/6mm

Plank MXD - 180 | 260 | 300 x 20/6mm

Herringbone Flooring

Herringbone - 120 x 580 x 16/4mm - Stocked in Select

Herringbone - 120 x 580 x 20/6mm

Herringbone XL - 220 x 1100 x 16/4mm

Chevron Flooring

Chevron - 120 x 580 x 16/4mm

Chevron - 120 x 580 x 20/6mm

Chevron XL - 220 x 1100 x 16/4mm

Prefinished Solid Stair Nosing

Solid Oak Stair Nosing 16mm x 2.4m - Stocked

Solid Oak Stair Nosing 20mm x 2.4m

V Groove Wall & Ceiling

160 x 2400 - 3000 x 13/4mm

Use the PlankBuilder™ on our website
to design your floor, wall or ceiling.



NEW

Mudbrick

Construction	Engineered
Species	European Oak
Process	Brushed
Finish	Platinum UV Oiled
Profile	Tongue & Groove
Bevel	Flooring 1.5mm long edges V Groove 4mm long edges
Grades	Select, Character & Rustic

Width x Length x Thickness/Wear Layer

Plank Flooring

120 x 1200–2400 x 16/4mm

180 x 1200–2400 x 16/4mm - Stocked in Character

180 x 1200–2400 x 20/6mm

260 x 1200–2400 x 20/6mm

300 x 1200–3000 x 20/6mm

350 x 1200–3000 x 20/6mm

Plank MXD - 180 | 260 | 300 x 20/6mm

Herringbone Flooring

Herringbone - 120 x 580 x 16/4mm - Stocked in Select

Herringbone - 120 x 580 x 20/6mm

Herringbone XL - 220 x 1100 x 16/4mm

Chevron Flooring

Chevron - 120 x 580 x 16/4mm

Chevron - 120 x 580 x 20/6mm

Chevron XL - 220 x 1100 x 16/4mm

Prefinished Solid Stair Nosing

Solid Oak Stair Nosing 16mm x 2.4m - Stocked

Solid Oak Stair Nosing 20mm x 2.4m

V Groove Wall & Ceiling

160 x 2400 - 3000 x 13/4mm

Use the PlankBuilder™ on our website
to design your floor, wall or ceiling.



NEW

Dawn

Construction	Engineered
Species	European Oak
Process	Brushed
Finish	Platinum UV Oiled
Profile	Tongue & Groove
Bevel	Flooring 1.5mm long edges V Groove 4mm long edges
Grades	Select, Character & Rustic

Width x Length x Thickness/Wear Layer

Plank Flooring

120 x 1200-2400 x 16/4mm

180 x 1200-2400 x 16/4mm - Stocked in Character

180 x 1200-2400 x 20/6mm

260 x 1200-2400 x 20/6mm

300 x 1200-3000 x 20/6mm

350 x 1200-3000 x 20/6mm

Plank MXD - 180 | 260 | 300 x 20/6mm

Herringbone Flooring

Herringbone - 120 x 580 x 16/4mm - Stocked in Select

Herringbone - 120 x 580 x 20/6mm

Herringbone XL - 220 x 1100 x 16/4mm

Chevron Flooring

Chevron - 120 x 580 x 16/4mm

Chevron - 120 x 580 x 20/6mm

Chevron XL - 220 x 1100 x 16/4mm

Prefinished Solid Stair Nosing

Solid Oak Stair Nosing 16mm x 2.4m - Stocked

Solid Oak Stair Nosing 20mm x 2.4m

V Groove Wall & Ceiling

160 x 2400 - 3000 x 13/4mm

Use the PlankBuilder™ on our website
to design your floor, wall or ceiling.

NEW

Haze

Construction	Engineered
Species	European Oak
Process	Brushed & Smoked
Finish	Platinum UV Oiled
Profile	Tongue & Groove
Bevel	Flooring 1.5mm long edges V Groove 4mm long edges
Grades	Select, Character & Rustic

Width x Length x Thickness/Wear Layer

Plank Flooring

120 x 1200-2400 x 16/4mm

180 x 1200-2400 x 16/4mm - Stocked in Character

180 x 1200-2400 x 20/6mm

260 x 1200-2400 x 20/6mm

300 x 1200-3000 x 20/6mm

350 x 1200-3000 x 20/6mm

Plank MXD - 180 | 260 | 300 x 20/6mm

Herringbone Flooring

Herringbone - 120 x 580 x 16/4mm - Stocked in Select

Herringbone - 120 x 580 x 20/6mm

Herringbone XL - 220 x 1100 x 16/4mm

Chevron Flooring

Chevron - 120 x 580 x 16/4mm

Chevron - 120 x 580 x 20/6mm

Chevron XL - 220 x 1100 x 16/4mm

Prefinished Solid Stair Nosing

Solid Oak Stair Nosing 16mm x 2.4m - Stocked

Solid Oak Stair Nosing 20mm x 2.4m

V Groove Wall & Ceiling

160 x 2400 - 3000 x 13/4mm

Use the PlankBuilder™ on our website
to design your floor, wall or ceiling.



NEW

Equinox

Construction	Engineered
Species	European Oak
Process	Sanded
Finish	Platinum UV Oiled
Profile	Tongue & Groove
Bevel	Flooring 1.5mm long edges V Groove 4mm long edges
Grades	Select, Character & Rustic

Width x Length x Thickness/Wear Layer

Plank Flooring

120 x 1200-2400 x 16/4mm

180 x 1200-2400 x 16/4mm - Stocked in Character

180 x 1200-2400 x 20/6mm

260 x 1200-2400 x 20/6mm

300 x 1200-3000 x 20/6mm

350 x 1200-3000 x 20/6mm

Plank MXD - 180 | 260 | 300 x 20/6mm

Herringbone Flooring

Herringbone - 120 x 580 x 16/4mm - Stocked in Select

Herringbone - 120 x 580 x 20/6mm

Herringbone XL - 220 x 1100 x 16/4mm

Chevron Flooring

Chevron - 120 x 580 x 16/4mm

Chevron - 120 x 580 x 20/6mm

Chevron XL - 220 x 1100 x 16/4mm

Prefinished Solid Stair Nosing

Solid Oak Stair Nosing 16mm x 2.4m - Stocked

Solid Oak Stair Nosing 20mm x 2.4m

V Groove Wall & Ceiling

160 x 2400 - 3000 x 13/4mm

Use the PlankBuilder™ on our website
to design your floor, wall or ceiling.



NEW

Peat

Construction	Engineered
Species	European Oak
Process	Brushed
Finish	Platinum UV Oiled
Profile	Tongue & Groove
Bevel	Flooring 1.5mm long edges V Groove 4mm long edges
Grades	Select, Character & Rustic

Width x Length x Thickness/Wear Layer

Plank Flooring

120 x 1200–2400 x 16/4mm

180 x 1200–2400 x 16/4mm - Stocked in Character

180 x 1200–2400 x 20/6mm

260 x 1200–2400 x 20/6mm

300 x 1200–3000 x 20/6mm

350 x 1200–3000 x 20/6mm

Plank MXD - 180 | 260 | 300 x 20/6mm

Herringbone Flooring

Herringbone - 120 x 580 x 16/4mm - Stocked in Select

Herringbone - 120 x 580 x 20/6mm

Herringbone XL - 220 x 1100 x 16/4mm

Chevron Flooring

Chevron - 120 x 580 x 16/4mm

Chevron - 120 x 580 x 20/6mm

Chevron XL - 220 x 1100 x 16/4mm

Prefinished Solid Stair Nosing

Solid Oak Stair Nosing 16mm x 2.4m - Stocked

Solid Oak Stair Nosing 20mm x 2.4m

V Groove Wall & Ceiling

160 x 2400 - 3000 x 13/4mm

Use the PlankBuilder™ on our website
to design your floor, wall or ceiling.

NEW

Obsidian

Construction	Engineered
Species	European Oak
Process	Brushed
Finish	Platinum UV Oiled
Profile	Tongue & Groove
Bevel	Flooring 1.5mm long edges V Groove 4mm long edges
Grades	Select, Character & Rustic

Width x Length x Thickness/Wear Layer

Plank Flooring

120 x 1200-2400 x 16/4mm

180 x 1200-2400 x 16/4mm - Stocked in Character

180 x 1200-2400 x 20/6mm

260 x 1200-2400 x 20/6mm

300 x 1200-3000 x 20/6mm

350 x 1200-3000 x 20/6mm

Plank MXD - 180 | 260 | 300 x 20/6mm

Herringbone Flooring

Herringbone - 120 x 580 x 16/4mm - Stocked in Select

Herringbone - 120 x 580 x 20/6mm

Herringbone XL - 220 x 1100 x 16/4mm

Chevron Flooring

Chevron - 120 x 580 x 16/4mm

Chevron - 120 x 580 x 20/6mm

Chevron XL - 220 x 1100 x 16/4mm

Prefinished Solid Stair Nosing

Solid Oak Stair Nosing 16mm x 2.4m - Stocked

Solid Oak Stair Nosing 20mm x 2.4m

V Groove Wall & Ceiling

160 x 2400 - 3000 x 13/4mm

Use the PlankBuilder™ on our website
to design your floor, wall or ceiling.

NEW

Untouched

Construction	Engineered
Species	European Oak
Process	Sanded
Finish	Unfinished
Profile	Tongue & Groove
Bevel	Flooring 1.5mm long edges V Groove 4mm long edges
Grades	Select, Character & Rustic

Width x Length x Thickness/Wear Layer

Plank Flooring

120 x 1200–2400 x 16/4mm

180 x 1200–2400 x 16/4mm

180 x 1200–2400 x 20/6mm - Stocked in Character

260 x 1200–2400 x 20/6mm

300 x 1200–3000 x 20/6mm

350 x 1200–3000 x 20/6mm

Plank MXD - 180 | 260 | 300 x 20/6mm

Herringbone Flooring

Herringbone - 120 x 580 x 16/4mm

Herringbone - 120 x 580 x 20/6mm

Herringbone XL - 220 x 1100 x 16/4mm

Chevron Flooring

Chevron - 120 x 580 x 16/4mm

Chevron - 120 x 580 x 20/6mm

Chevron XL - 220 x 1100 x 16/4mm

Solid Stair Nosing

Solid Oak Stair Nosing 16mm x 2.4m

Solid Oak Stair Nosing 20mm x 2.4m - Stocked

V Groove Wall & Ceiling

160 x 2400 - 3000 x 13/4mm

We have a Bespoke colour service to match or create any colour you want. Get in touch with our team.

Use the PlankBuilder™ on our website to design your floor, wall or ceiling.

Please note this is an unfinished product



Stratus



Equinox



Mudbrick



Dawn Herringbone

Flooring Profiles

At VidaSpace we are pleased to offer a range of standard and custom-made flooring profiles to complement our entire range of flooring products. Additional features such as custom stair profiles and metal trims can enhance your flooring and design details.



Metal Trims

Brass Trims



Angle Trim

Small - 12.7 x 12.7 x 1.59 x 3600mm
Large - 19.05 x 19.05 x 3.18 x 3600mm

VS5001
VS5002

Flat Bar

Small - 12.7 x 3.18 x 3600mm
Large - 19.05 x 3.18 x 3600mm

VS5003
VS5004

Square Bar

Small - 6.35 x 6.35 x 3600mm

VS5005

Stainless Steel Trims



Flat Bar

Small - 12 x 3 x 4000mm

VS5006

Square Bar

Small - 6 x 6 x 4000mm

VS5007

Angle Trim



Flat Bar



Square Bar



Floating Stair Treads

Looking for matching floating stair treads? We can help with these. Made to order out of the same product as your floor, these are expertly engineered to create a robust and seamless solution for your floor and stairs.

Options available:

- Box 4 sides with open one or both ends
- End caps either fitted or supplied loose to fit after
- Box 3 sides with 4th side supplied to be fitted after
- Solid timber core option

Visit our showrooms to check out our stair model displays






Pumice

VidaCare

At VidaSpace we care about your wood flooring, which is why we introduced our Care Kits, and now our VidaCare lifetime support system. With the right care, maintenance, and products, your flooring will last a lifetime.

- Lifetime Advice & Support
- Care Product Range
- Care Guides
- Assist in Connecting with Repair & Maintenance experts
- Online FloorCare Shop



Residential Wood Flooring Care Guide

UV Oil	
Natural & Dark UV Oils	White UV Oils
After installation in kitchens and high usage areas:	After installation in kitchens and high usage areas:
HW95058 MXC700 Liquid Wax Care	HW950120 MXC705 Liquid Wax Care White
Daily:	Daily:
Sweep/Vacuum	Sweep/Vacuum
Weekly:	Weekly:
Damp Clean with Spray Mop and Cleancare Concentrate	Damp Clean with Spray Mop and Cleancare Concentrate
Maintenance:	Maintenance:
HW95058 MXC700 Liquid Wax Care	HW950120 MXC705 Liquid Wax Care White

Commercial Wood Flooring Care Guide

UV Oil	
Natural & Dark UV Oils	White UV Oils
After installation in exceptionally high traffic areas, e.g. Entrance/Lift Lobby areas, Tea points etc.	After installation in exceptionally high traffic areas, e.g. Entrance/Lift Lobby areas, Tea points etc.
HW95058 MXC700 Liquid Wax Care	HW950120 MXC705 Liquid Wax Care White
Daily:	Daily:
Sweep/Vacuum	Sweep/Vacuum
2-3 Times Per Week:	2-3 Times Per Week:
Damp Clean with Spray Mop and Cleancare Concentrate	Damp Clean with Spray Mop and Cleancare Concentrate
Maintenance:	Maintenance:
HW95058 MXC700 Liquid Wax Care	HW950120 MXC705 Liquid Wax Care White

Platinum Floor Care Kits

Our care kits are a complete guide to your flooring care and maintenance. Now available to purchase on our FloorCare Online shop.




Product	Oiled Kit - Clear SKU: VSCM001	Oiled Kit - White SKU: VSCM004
Cleaning Kit including Spray Mop Head, Multicleaner	✓	✓
Clean Care Concentrate	✓	✓
Liquidwax Clear	✓	
Liquidwax White		✓
Felt Feet Packs x 2	✓	✓
Spare Mop Head	✓	✓

Sample Service

We offer a seamless sample service including free hand samples and a comprehensive library support system for industry professionals.

To order samples please get in contact with our team on 0800 119 388 or email info@vidaspace.co.nz



VidaSpace Auckland Showroom
105 St. Georges Bay Road, Parnell,
Auckland, New Zealand

VidaSpace Wellington Showroom
1 College Street, Te Aro,
Wellington, New Zealand

0800 119 388
info@vidaspace.co.nz
vidaspace.co.nz

Head Office and Distribution
20 Roe St, Levin 5571, New Zealand



vidaspace[®]